SAMSUNG LED

Illuminated



Meaningful Innovation.



WELCOME TO

V-TAC

V-TAC Lighting V-TAC Digital

V-T∧⊂ Audio V-T∧⊂ Solar

V-T∧C Electrical V-T∧C Smart

V-TAC was founded with the vision of providing energy-efficient LED lighting solutions worldwide.

While building a vast portfolio in LED lighting over the past years, we were also able to build expertise in innovation and expand our R&D team to offer a diversified catalogue with over 3500 products to our clients and partners all over the UK and Europe.

Utilizing our brand value and manufacturing technologies, we have been expanding our product categories beyond lighting, with one mission to improve the lives of humanity worldwide.

Now, we are moving towards promoting sustainable practices that will help citizens and businesses lower their carbon footprint, and become a global leader in providing energy efficient systems — including solar panels, inverters, battery packs, and power stations.

V-T∧C Energy

Many divisions, one mission.







2009

V-TAC was founded with the vision of providing energy-effi-cient LED lighting solutions worldwide

2011

Began our EU expansion by opening the first V-TAC warehouse and office in Sofia, Bulgaria

2013

Started building our distribution network in the UK from our office in Southall, London. 2015

Launched our in-house product testing lab in Sofia, Bulgaria.

2016

Achieved \$100M Annual Turnover- Manufacturing Joint Venture with DASHER Lighting for decorative lighting.

2017

In-brand partnership with Samsung. Launched the V-TAC Pro series.

2022

Progressed into the green energy era with our new Renewables range

2021

Centralized warehouse in Bulgaria extended to 42000+ sq mts. 2020

- New website launch
- Opened new office in Ireland.

2019

Opened new office in Poland.

2018

Partnership with Tuya and launched new Smart Series
 Unveiled the new V-TAC Showroom in Slough, UK

Table of content

	Linear Lights	8	S v	Emergency Lights	35
	LED Batten Fittings	10	O	LED Highbay	36
6	Non Corrosive Battens	13		LED Floodlights	39
	Aluminium Profiles	15		Solar Lights	47
	LED Strip Lights	19		Solar Wall Lights	48
	LED Striplight Kits	21		Garden and Wall Lamps	49
	Wireless Switches	23		Outdoor Lighting	51
	LED Mini Panels	24	0	Motion Sensor	52
	LED Panels	26	anca.	LED Tubes	56
	Fire Rated Downlights	30		LED Lamps	58
	LED Bulkhead	33		Nylon Cable Tie	64

Table of content

NEW ADDITIONS



0 c	CCT/Wattage Changing Battens	11
	CCT Changing Mini Panels	24
	CCT Changing Big Panels	27
	Canless Fire Rated	32
	CCT Changing Bulkhead	34
37	Emergency Exit Box	36
	Solar Floodlights	47



Collaboration for Impact.

In-Brand Partnership

Driven by our mission to continuously improve the quality and efficiency of our products, V-TAC developed PRO-Series LED in partnership with Samsung.

V-TAC's flagship product range, the PRO-Series features LEDs from Samsung and 5 Year warranties.







Meaningful Innovation.

Innovation has been our core from the beginning. But we aren't just innovators. We are problem solvers. We innovate to make positive impact. Not just for our customers, but for the human race.

Driven by our passion to provide the most efficient products and solutions, we are fully committed to building a brighter yet sustainable future.



Free Lighting Design Services

Get your Lighting Scheme, by providing the below requirements.



٦

Site or Floor plans. If these are not available then we will need the dimensions of the lighting area (Length X Width X Height).

3

Description of the site's activities (Office, School, Warehouse, etc).

2


Mounting height of the light fittings (if different to the dimensions provided in step 1).

4

Any preferred type of fitting of V-TAC part numbers? Alternatively we can provide recommendations.

We aim to supply you with the lighting design, a list of fittings with the quantity and a quotation within 48 hours. 3D walkthroughs can be arranged upon request

Send us your queries at: projects@vtacexports.com



A Seamless Trade Experience


www.vtacexports.com

V-TAC launched an upgraded B2B e-com platform. The website offers both account users and guests an easier way to check prices, stocks, product specifications, and infographics.

RRPs (Recommended Retail Price) is one of the key offerings of the website where electricians, contractors, and all the other users of the site can view without logging in.

As it is a trade-only website, sign-up rights are exclusively for qualifying wholesalers to place orders and view trade prices once they are logged in. Other resources like manuals, certificates, etc are also available in standard downloadable formats.







Illuminated



30,000 Hours

Aluminium

AC:200-240V, 50Hz

IP20

Linear Lights

V-TAC LED Linear Lights are an energy-efficient, low-maintenance alternative to traditional linear fluorescent in industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.





UGR<19 Linear Lights



1.5m Wire Length

Upto 12 metres Linkable

IP20



SKU CCT	Watts	Lumens	Туре	Size	Unit Colour	Box Qty	Trade Price
21384 - 4000K	40	3590	Suspended	1197x50x65mm	Silver	10	£102.86

3-in-1 Linear Light



1.5m Wire Length

Upto 12 metres Linkable

IP20

SKU CCT	Watts	Lumens	Туре	Size	Unit Colour	Box Qty	Trade Price
20060 - 3IN1	40	2500	Suspended	1197x50x65mm	Black	10	£101.57

Slim Linear Lights



1.5m Wire Length

Upto 12 metres Linkable

IP20



SKU CCT	Watts	Lumens	Туре	Size	Unit Colour	Box Qty	Trade Price
21882 - 3000K 21374 - 4000K 21600 - 6400K	40	3270	Suspended	1194x35x67mm	Black	12	£88.57
21375 - 4000K 21601 - 6400K	40	3300	Suspended	1194x35x67mm	Silver	12	£88.57
21602 - 6400K	40	3270	Suspended	1194x35x67mm	White	12	£88.57









LED BATTEN FITTINGS

Professional T8 Style Integrated Fittings Single and Twin in one fitting









Polycarbonate+Iron

Flicker Free

5 Year Warranty

5 Year Warranty

STD Standard MS
Microwave Sensor
CORRIDOR FUNCTION

EM Emergency MS+EM

Microwave Sensor + Emergency CORRIDOR FUNCTION

Hinged Cover	for	easy	insta	lation
--------------	-----	------	-------	--------

SKU CCT	Watts	Lumens	Туре	Size	Box Qty	Trade Price
7011 - 3IN1	20W/30W/40W	2800/4200/5400	STD	4 Ft	6	£36.57
7012 - 3IN1	20W/30W/40W	2800/4200/5400	MS	4 Ft	6	£58.57
7013 - 3IN1	20W/30W/40W	2800/4200/5400	EM	4 Ft	6	£85.71
7014 - 3IN1	20W/30W/40W	2800/4200/5400	MS+EM	4 Ft	6	£108.57
7015 - 3IN1	30W/40W/50W	4200/5600/6750	STD	5 Ft	6	£48.57
7016 - 3IN1	30W/40W/50W	4200/5600/6750	MS	5 Ft	6	£71.43
7017 - 3IN1	30W/40W/50W	4200/5600/6750	EM	5 Ft	6	£97.14
7018 - 3IN1	30W/40W/50W	4200/5600/6750	MS+EM	5 Ft	6	£120.00
7019 - 3IN1	40W-50W-60W	5800/7000/8100	STD	6 Ft	6	£57.14
7020 - 3IN1	40W-50W-60W	5800/7000/8100	MS	6 Ft	6	£80.00
7021 - 3IN1	40W-50W-60W	5800/7000/8100	EM	6 Ft	6	£105.71
7022 - 3IN1	40W-50W-60W	5800/7000/8100	MS+EM	6 Ft	6	£125.71

LED BATTEN FITTINGS



LED Integrated Battens - Single Colour

Aluminium

IP20

5 Year Warranty

Flicker Free

Quick Connector





SKU CCT	Watts	Lumens	Size	Box Qty	Trade Price
20066 - 4000K 20067 - 6400K	24	2880	4 Ft Single	12	£24.99
2120070 - 4000K 2120071 - 6500K	28	3360	5 Ft Single	10	£41.43
20068 - 4000K 20069 - 6400K	40	4800	4 Ft Twin	12	£32.99
20072 - 4000K 2120073 - 6400K	50	6000	5 Ft Twin	10	£44.29
2120074 - 4000K 2120075 - 6500K	60	7200	6 Ft Twin	8	£57.14

Super Slim Battens

Plastic

IP20

5 Year Warranty

Quick Connector


Flicker Free

120 LUMENS/W



SKU CCT	Watts	Lumens	Size	Box Qty	Trade Price
20344 - 3000K 20345 - 4000K	10	1000	1 Foot	30	£7.86
20347 - 3000K 20348 - 4000K 20349 - 6500K	20	2050	2 Ft	30	£12.29
20350 - 3000K 20351 - 4000K 20352 - 6500K	40	4300	4 Ft	30	£24.00
20354 - 4000K 20355 - 6500K	50	6000	5 Ft	30	£30.00
21670 - 4000K 21671 - 6500K	60	7200	6 Ft	30	£37.14

NON-CORROSIVE BATTEN



Integrated Gear Tray Accessible Fittings

Polycarbonate

IP65

3 to 5 Year Warranty

M Series SS Clips







O5g WARRANTY*

SKU CCT	Watts	Lumens	Туре	Size	Box Qty	Trade Price
2120217 - 4000K 2120216 - 6500K	36	4320	STD	4 Ft	12	£38.57
20468 - 4000K 20469 - 6400K	36	4320	MS	4 Ft	12	£44.99
2120223 - 4000K 2120222 - 6500K	36	4320	EM	4 Ft	12	£94.57
2120215 - 4000K 2120214 - 6500K	48	5760	STD	5 Ft	12	£47.99
20470 - 4000K 20471 - 6400K	48	5760	MS	5 Ft	12	£54.00
2120221 - 4000K 2120220 - 6500K	48	5760	EM	5 Ft	12	£102.86

NON-CORROSIVE BATTEN



Integrated sealed Fittings

Polycarbonate

IP65

2 Year Warranty

Wire Through, terminal boxes at

both ends



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
6283 - 4000K 6282 - 6400K	18	1440	2 Ft	12	£16.86
216287 - 4000K 216286 - 6500K	48	5760	5 Ft	12	£28.29
216285 - 4500K 216284 - 6400K	36	4320	4 Ft	12	£22.57

Integrated sealed Fittings

Polycarbonate + ABS

IP65

5 Year Warranty

Wire Through, terminal boxes at

both ends







SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
680 - 4000K 681 - 6400K	60	5400	6 Ft	12	£50.00

Twin Fitting with Tubes included

Plastic + ABS

IP65

2 Year Warranty

Replaceable Tubes






SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
6387 - 4000K 6399 - 6400K	36	3400	4 Ft	12	£25.71
6388 - 4000K 6400 - 6400K	44	4000	5 Ft	12	£28.57

ALUMINIUM PROFILES



Aluminium Profiles for Strip Lights

V-TAC's range of aluminum profiles were developed with the sole purpose of adding a stylish way of lighting. Coupled with our diverse range of accessories and controllers, these stylish lights can be installed in a variety of ways and applications.




Mounting Kit -Surfaced Type









SKU CCT	Unit Colour	Box Qty	Trade Price
3352	Silver	50	£10.00
2876	Black	50	£10.00
3367	White	50	£10.57

Mounting Kit -Surfaced Type








SKU CCT	Unit Colour	Box Qty	Trade Price
3354	Silver	100	£10.00
2878	Black	100	£10.00
3366	White	100	£8.86



Mounting Kit -Surfaced Type








SKU CCT	Unit Colour	Box Qty	Trade Price
3355	Silver	100	£6.14
2873	Black	100	£10.00
3365	White	100	£6.14

Mounting Kit -Surfaced Type






SKU CCT	Unit Colour	Box Qty	Trade Price
3358	Silver	50	£8.14

Mounting Kit -Surfaced Type






SKU CCT	Unit Colour	Box Qty	Trade Price
3370	Silver	100	£5.57

Mounting Kit -Surfaced Type





SKU CCT	Unit Colour	Box Qty	Trade Price
3368	White	100	£8.29

Mounting Kit -Corner Type







SKU CCT	Unit Colour	Box Qty	Trade Price
3356	Silver	50	£11.43
2877	Black	50	£11.43
3364	White	100	£11.43

ALUMINIUM PROFILES

Mounting Kit -Corner Type








SKU CCT	Unit Colour	Box Qty	Trade Price
3353	Silver	100	£7.14
2874	Black	100	£7.14

Mounting Kit -Corner Type






SKU CCT	Unit Colour	Box Qty	Trade Price
3363	Silver	30	£17.00

Mounting Kit -Corner Type






SKU CCT	Unit Colour	Box Qty	Trade Price
3369	White	100	£6.71

Mounting Kit -Recessed Type








SKU CCT	Unit Colour	Box Qty	Trade Price
3350	Silver	100	£10.00
2875	Black	100	£10.00

Mounting Kit -Recessed Type






SKU CCT	Unit Colour	Box Qty	Trade Price
3359	Silver	50	£20.57




Mounting Kit -Recessed Type






SKU CCT	Unit Colour	Box Qty	Trade Price
3360	Silver	50	£20.57


Mounting Kit -Recessed Type






SKU CCT	Unit Colour	Box Qty	Trade Price
3361	Silver	50	£20.57

Mounting Kit -Recessed Type






SKU CCT	Unit Colour	Box Qty	Trade Price
3362	Silver	50	£21.86

Mounting Kit -Recessed Type






SKU CCT	Unit Colour	Box Qty	Trade Price
3357	Silver	50	£9.57


Mounting Kit -Recessed Type





SKU CCT	Unit Colour	Box Qty	Trade Price
3351	Silver	80	£9.00






COB Striplights





at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right

choice for restaurants, kitchen, meeting rooms etc.




SKU CCT	Watts(W/m)	Lumens (Lm/m)	LED/m	Width(mm)	IP Rating	Box Qty	Trade Price
2652 - 3000K 2653 - 4000K 212654 - 6500K	10	800	280	8mm	IP20	50	£7.71
212667 - 3000K 2668 - 4000K 2669 - 6400K	10	1000	420	10mm	IP20	50	£11.00



COB Striplights-RGB







SKU CCT	Watts(W/m)	Lumens (Lm/m)	LED/m	Width(mm)	IP Rating	Box Qty	Trade Price
2880 - RGB	13W		420	10mm	IP20	50	£12.71

VT-2421 240W LED RGB CONTROLLER WITH 20 KEY RF REMOTE CONTROL-SMALL



	n market	
CIVII	Boy Oty	Trado

SKU	Box Qty	Trade Price
3340	20	£24.57

CONNECTOR FOR LED COB STRIP 8MM-SINGLE HEAD



SKU	Box Qty	Trade Price
2663	50	£1.86

CONNECTOR FOR LED COB STRIP 10MM-SINGLE HEAD



SKU	Box Qty	Trade Price
2665	50	£1.86

VT-2420 288W LED RGB CONTROLLER WITH 20 KEY RF REMOTE CONTROL



SKU	Box Qty	Trade Price
3339	60	£34.86

CONNECTOR FOR LED COB STRIP 8MM-DUAL HEAD



SKU	Box Qty	Trade Price
2664	50	£3.29


CONNECTOR FOR LED COB STRIP 10MM-DUAL HEAD



SKU	Box Qty	Trade Price
2666	50	£3.29







LED Smart Strip Light Kit











SKU CCT	Watts(W/m)	Lumens (Lm/m)	LED/m	Width(mm)	IP Rating	Box Qty	Trade Price
2699- RGB+3IN1	13	1200	90	10mm	IP65	20	£45.71



LED Strip Light Kit - 2X5M Roll







SKU CCT	Watts(W/m)	Lumens (Lm/m)	LED/m	Width(mm)	IP Rating	Box Qty	Trade Price
2631 - RGB	4.8	500	30	8mm	IP20	20	£41.86

Striplight Kits BS Plug








SKU CCT	Watts(W/m)	Lumens (Lm/m)	LED/m	Width(mm)	IP Rating	Box Qty	Trade Price
2606 - 3000K 2607 - 6400K 2605 - RGB	9	1000	60	10mm	IP65	20	£38.57
2545 - 3000K 2544 - RGB	10	1000	60	8mm	IP20	20	£29.00
212546 - 6000K	11	900	60	8mm	IP20	20	£24.71



WIRELESS SWITCHES



Wireless Switches

Introducing the next generation of self-powered wireless switches, which operate via an RF receiver, making their use simple. Offering a push-touch button and remote features. Smart Switch is made of advanced PC material with high strength, high impact, and high-temperature resistance, nontoxic and eco-friendly, easy to clean, and colour-fadeless. No-screw design on panel surface; big button design with indicator; easy on/off operation with good sense of touch; low sound of pressing.



RECEIVER (OVER 500M) FOR WIRELESS SWITCHES



SKU	Box Qty	Trade Price
8458	50	£21.43

1 GANG WAY SENSOR SWITCH



SKU	Box Qty	Trade Price
8460	50	£20.29

2 GANG WAY SENSOR SWITCH



SKU	Box Qty	Trade Price
8461	50	£22.86

3 GANG WAY SENSOR SWITCH



SKU	Box Qty	Trade Price
8462	50	£25.00

3 GANG SENSOR REMOTE



SKU	Box Qty	Trade Price
8463	50	£8.43





LED Panels

The PRO Series LED panels range are all made with top-quality PMMA diffusers which provides a uniformly distributed light and prevents the panels from turning yellow. It proves its durability with exteriors composed of an innovative combination of Aluminium+PMMA+PP, and its energy-saving upgrade through the improved driver box and Samsung LEDs. Both mini and big panels are inclusive of a quick connector for easy installation.



CCT Changing Mini Panels Non Dimmable Driver Included

NEW



30,000 Hours Lifespan

Aluminium

AC:100-240V, 50Hz

IP20



SKU CCT	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty	Trade Price
6982 - 3IN1	6W	490	120x12mm	110mm	40	£8.00
6983 - 3IN1	9W	820	145x18mm	133mm	20	£9.14
6984 - 3IN1	12W	1160	170x12mm	160mm	20	£11.00
6985 - 3IN1	18W	1550	225x12mm	210mm	20	£12.00



LED Mini Panels Premium Series-Round Non Dimmable Driver Included

20,000 Hours Lifespan

Aluminium

AC:85-265V, 50/60Hz

IP20

2 Year Warranty



sku сст	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty	Trade Price
216292 - 2700K 216293 - 4000K 216294 - 6400K	3	130	84x12mm	73mm	50	£4.86
214854 - 2700K 214855 - 4000K 214856 - 6400K	6	490	120x12mm	110mm	40	£6.86
214857 - 2700K 214858 - 4000K 214859 - 6400K	12	1160	170x12mm	155mm	20	£9.43
214860 - 2700K 214861 - 4000K 214862 - 6400K	18	1400	225x12mm	210mm	20	£11.00
216422 - 2700K 216423 - 4000K 216424 - 6400K	22	2265	240x12mm	220mm	20	£17.71
214872 - 2700K 214873 - 4000K 214874 - 6400K	24	2500	300x12mm	280mm	10	£20.00
216428 - 4000K 216429 - 6400K	30	3155	300x12mm	280mm	10	£28.99

LED Mini Panels Premium Series -Square Non Dimmable Driver Included

20,000 Hours Lifespan

Aluminium


AC:85-265V, 50/60Hz

IP20



SKU CCT	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty	Trade Price
216295 - 2700K 216296 - 4000K 6297 - 6400K	3	130	84x84x12mm	73x73mm	50	£4.86
4863 - 3000K 214865 - 6400K	6	490	120x120x12mm	110x100mm	40	£6.86
214866 - 2700K 214867 - 4000K 214868 - 6400K	12	1160	170x170x12mm	155x155mm	20	£9.43
214869 - 2700K 214870 - 4000K 214871 - 6400K	18	1400	225x225x12mm	210mm	20	£11.00
214887 - 2700K 214889 - 6400K	24	2500	300x300x12mm	280x280mm	10	£20.00
216430 - 4000K 216431 - 6400K	36	3820	300x300x12mm	280x280mm	10	£28.99





60 X 60 Panel UGR < 22

30,000 Hours Lifespan

Aluminium+TPA(Polycarbonate)

DC:30-42V

IP20

5 Year Warranty







SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
6826-TPA - 4000K 6827-TPA - 6000K	36	4320	595x595mm	6	£31.43

60 X 60 Panel UGR < 19

30,000 Hours Lifespan

Aluminium+PS+PP

DC:30-42V

IP20







SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
216777 - 4000K 216778 - 6000K	40	4000	595x595x33mm	6	£42.86



CCT Changing Panels

30,000 Hours

Aluminium+TPA(Polycarbonate)

AC:220-240V, 50Hz

IP40

5 Year







SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
6972 - 3IN1	36	4320	595x595mm	6	£35.71
6977 - 3IN1	45W	5400	1195x595mm	4	£80.00



Edge-Lit LED Panels

FLICKER FREE **QUICK**CONNECTOR

PMMA DIFFUSER SLIM

60x60 Panels

30,000 Hours Lifespan

Aluminium + PMMA + PP

AC:200-240V, 50/60Hz

IP20







SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
200481 - 6400K	29	3480	595x595x14mm	6	£42.86



High Lumen Panels 120x60

50,000 Hours Lifespan

Aluminium + PMMA + PP

AC:200-240V, 50/60Hz

IP20

5 Year Warranty









SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
21748 - 4000K 21749 - 6500K	40	5400	1195x595x12.5mm	2	£120.00

High Lumen Panels 120x60

25,000 Hours Lifespan

Aluinium+PMMA+PS

AC:200-240V, 50/60Hz

IP20

2 Year Warranty







SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
216332 - 4000K 216333 - 6500K	40	5400	1195x595x12.5mm	2	£100.00

High Lumen Panels 120x30

20,000 Hours Lifespan

Aluminium + PMMA + PP

AC:200-240V,50/60Hz

IP20







SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
216256 - 3000K 216257 - 4500K 216258 - 6000K	29	3960	1195x295x12.5mm	1	£308.57



Kit For Surface Backlit Panels



SKU	Watts	Box Qty	Trade Price
11449		12	£11.43

External Mounting Frame For 60x60 Panel



Convert the recessed panel to surface panel and install it easily on solid surfaces.

SKU	Watts	Box Qty	Trade Price
9999		5	£45.71

Aluminum Frame 60x120 With Screws Fixed



SKU	Watts	Box Qty	Trade Price
6623		10	£47.71

Aluminum Frame 120X30 With Screws Fixed



SKU	Watts	Box Qty	Trade Price
8158		10	£24.29

External Mounting Frame For 120x60 Panel



SKU	Watts	Box Qty	Trade Price
9989		3	£58.43

Suspended Mounting For Panels



Adjustable height from 0.3 to 1m.This product can be used for all sizes of panels , that is 300 x 300 600 x 600 1200 x 300 1200 x 600

SKU	Watts	Box Qty	Trade Price
6018		50	£7.14

Big Panels Emergency Pack -UK





SKU	Watts	Box Qty	Trade Price
60303-1		20	£55.71

Dimmable Driver For Panels



SKU	Watts	Box Qty	Trade Price
11410	40W	50	£32.86
6614	45W	1	£60.00
6437	45W	50	£25.71

FIRE RATED DOWNLIGHTS





Fire Rated Downlights

Fire rated downlights are lighting fixtures designed to prevent the spread of fire between different levels or compartments of a building. They are typically installed in ceilings and are commonly found in domestic and commercial buildings, such as houses, hotels, hospitals, and offices.



Fire Rated Integrated 4-IN-1



Dimmable

Insulations Coverable

Aluminium+Iron

AC:200-240V,50Hz

IP65

Flicker Free

Quick Connector

SKU CCT	Watts	Lumens	Size(mm)	Cutting Size(mm)	Box Qty	Trade Price
7614 - 4IN1 WHITE BEZEL INCLUDED	5W/8W	5W 2700K-460Im 3000K-500Im 4000K-520Im 6400K-540Im 8W 2700K-720Im 3000K-720Im 4000K-800Im 6400K-840Im	90x38mm	65mm	48	£15.99

SKU	Bezel Image	Unit Colour	Box Qty	Trade Price
11357		Black (Optional)	20	£1.86
11358		Satin Nickel (Optional)	20	£1.86
11359		Chrome (Optional)	20	£1.86

FIRE RATED DOWNLIGHTS

Push and Lock Can for Fire Rated-GU10 Holder





SKU	Unit Colour	IP Rating	Size(mm)	Cutting Size(mm)	Box Qty	Trade Price
11281	Black	IP20	90x120mm	80mm	60	£5.71

Push and Lock Bezels











SKU	Unit Colour	IP Rating	Size(mm)	Box Qty	5 pcs pack price	Price per bezel
11277	White	IP20	90mm	10	£14.29	£2.85
11278	Black	IP20	90mm	10	£14.29	£2.85
11279	Satin Nickel	IP20	90mm	10	£15.71	£3.14
11280	Chrome	IP20	90mm	10	£15.71	£3.14
11282	White	IP65	90mm	10	£18.57	£3.71
11283	Black	IP65	90mm	10	£18.57	£3.71
11284	Satin Nickel	IP65	90mm	10	£20.86	£4.17
11285	Chrome	IP65	90mm	10	£20.86	£4.17

FIRE RATED DOWNLIGHTS



Canless GU10 Fire Rated Fitting - Twist and Lock Bezel





SKU	Unit Colour	IP Rating	Installation Type	Size(mm)	Cutting Size(mm)	Box Qty	Trade Price	
7678	White	IP20	Fixed	85x90.3mm	68mm	20	£7.43	
7679	Satin Nickel	IP20	Fixed	85x90.3mm	68mm	20	£7.99	
7680	Chrome	IP20	Fixed	85x90.3mm	68mm	20	£7.99	
7681	Black	IP20	Fixed	85x90.3mm	68mm	20	£8.00	
7023	Brushed Brass	IP20	Fixed	85x90.3mm	68mm	20	£8.00	
7024	Polished Brass	IP20	Fixed	85x90.3mm	68mm	20	£8.00	
7682	White	IP65	Fixed	85x90.3mm	68mm	20	£9.29	
7683	Satin Nickel	IP65	Fixed	85x90.3mm	68mm	20	£9.99	
7684	Chrome	IP65	Fixed	85x90.3mm	68mm	20	£9.99	
7685	Black	IP65	Fixed	85x90.3mm	68mm	20	£10.00	
7025	Brushed Brass	IP65	Fixed	85x90.3mm	68mm	20	£10.00	
7026	Polished Brass	IP65	Fixed	85x90.3mm	68mm	20	£10.00	
7027	White	IP20	Tilt	87x100mm	78mm	20	£9.29	
7791	Black	IP20	Tilt	87x100mm	78mm	20	£10.00	
7792	Chrome	IP20	Tilt	87x100mm	78mm	20	£10.00	
7793	Satin Nickel	IP20	Tilt	87x100mm	78mm	20	£10.00	
11367	Insulation Cover for Ca	Insulation Cover for Canless Fittings						





LED Bulkhead

STD Standard MS
Microwave Sensor
CORRIDOR FUNCTION

EM Emergency MS+EM

Microwave Sensor + Emergency CORRIDOR FUNCTION

LED Bulkhead

30,000 Hours Lifespan

Polycarbonate

AC:200-240V, 50/60Hz

IP65







SKU CCT	Watts	Lumens	Туре	Size(mm)	Box Qty	Trade Price
21815 - 4000K	8	750	STD	270x90mm	10	£24.29
818 - 4000K	8	720	MS	270x90mm	10	£42.86
21816 - 4000K	10	720	EM	270x90mm	10	£52.86
21817 - 4000K	10	720	MS+EM	270x90mm	10	£62.86
2120016 - 3IN1	15	1400	STD	320x100mm	10	£38.57
21801 - 4000K 21802 - 6400K	15	1625	STD	320x100mm	10	£31.43
21804 - 4000K 805 - 6400K	15	1400	MS	320x100mm	10	£45.99
21806 - 4000K	17	1400	EM	320x100mm	10	£62.86
21812 - 4000K	17	1400	MS+EM	320x100mm	10	£75.00



Slim Line LED Bulkhead

NEW

30,000 Hours Lifespan

Polycarbonate				
AC:220-240V, 50Hz				
IP65				
5 Year Warranty				



Chrome Bezel

SKU	Trade Price
11241	£7.99







8W	
3000K - 800)
4000K - 875	j
6500K - 875	

16W 3000K - 1550 4000K - 1700 6500K - 1700 **20W** 3000K - 1800 4000K - 2100 6500K - 2100



SKU CCT	Watts	Lumens	Туре	Size(mm)	Box Qty	Trade Price
6851 - 3IN1	8W/16W/20W	2100	STD	315x75mm	10	£35.71
6852 - 3IN1	8W/16W/20W	2100	MS	315x75mm	10	£57.11
6853 - 3IN1	8W/16W/20W	2100	EM	315x75mm	10	£74.29
6854 - 3IN1	8W/16W/20W	2100	MS+EM	315x75mm	10	£91.43


Optional Rims





SKU	Name	Unit Colour	Trade Price
11225	Eyelid Half Cover For Vt-14	Black	£4.43
11230	Chrome Rim For 14w Dome Light	Chrome	£11.29
11231	Chrome Rim For 20w Dome Light	Chrome	£12.99

Slim Line LED Bulkhead - Large Base with 3-in-1 CCT















SKU CCT	Watts	Lumens	Туре	Size(mm)	Box Qty	Trade Price
20093 - 3IN1	20	1850	STD	380x78mm	10	£51.43
2120094 - 3IN1	20	1850	MS	380x78mm	10	£70.00
2120095 - 3IN1	20	1850	EM	380x78mm	10	£82.14
2120096 - 3IN1	20	1850	MS+EM	380x78mm	10	£100.00





Emergency LED Twin Spotlight

Ni-Cd 9.6V, 2200mAh Battery

>3 Hours Working Time

24 Hours Charging Time

Polycarbonate

AC:220-240V, 50/60Hz

2 Year Warranty

- Wall mounted
- · Adjustable heads
- \cdot Fitted with high efficiency LED Chips
- · High-performance Ni-Cd batteries .
- Green Light Indicator
- Reliable Emergency backup of 3 hours.
- Non maintained operation
- IP65 Protection perfect for outdoor use



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
80981 - 6000K	6	300	296x75x272mm	5	£71.43

Emergency LED Downlight

Ni-Cd 3.6V, 1800mAh Battery

>3 Hours Working Time

5-6 Hours Charging Time

Polycarbonate + Aluminium

AC:220-240V, 50/60Hz

- · White and chrome bezel included
- · Ceiling Recessed
- · Over Charge And Discharge Protection
- · AC:155V
- · Non Maintained



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
8274 - 5500K	3	140	38.5x22x25mm	40	£25.00



LED Exit Light 4-IN-1 with Self Test

Ni-cd AA, 3.6V, 0.6Ah Battery

>3 Hours Working Time

12 Hours Charging Time

Polycarbonate+PMMA

AC:200-240V,50/60Hz

3 Year Warranty

- · 4-in-1: Ceiling | Hanging |Sidewall |Wall Mounting
- · AC:220-240V,50/60Hz
- · Ni-cd AA, 3.6V, 0.6Ah Battery
- · Mode Of Operation Maintained
- · 30 metres Viewing Distance From Both
- · Includes 4 Way Legends









SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
7675 - 6000K	2.5	100	350x29x195mm	10	£31.43
11362	Remote Control For Exit Light		100x41x15mm	600	£2.43

Emergency LED Bulkhead

Ni-Cd 3.6V, 1200mAh Battery

3 Hours Working Time

24 Hours Charging Time

Polycarbonate Cover

AC:220-240V, 50/60Hz

2 Year Warranty

- · AC:220-240V,50/60Hz
- · Wall Mounted
- · Ni-cd 3.6V, 1200mAh
- · Maintained & Non Maintained
- · Includes 4 Way Legends





SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
8437 - 6400K	3	140	346x107x60mm	10	£18.57

Emergency Exit Box



LiFePo4 3.2V 1500mAh Battery

3 Hours Working Time

Charging Time

Polycarbonate

AC:220-240V 4 Year (Battery 2 Year) Warranty

- · IP20
- · IK03
- · Class II
- Beam Angle: 55°
- · Self Test
- · Up arrow legend included



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
7817 - 6000K	4	80	330x30x186mm	10	£53.14

Legend For Exit Box, Arrow DOWN



sku	Box Qty	Trade Price
7818	10	£2.57

Legend For Exit Box, Arrow LEFT




SKU	Box Qty	Trade Price
7819	10	£2.57

Legend For Exit Box, Arrow RIGHT



SKU	Box Qty	Trade Price
7820	10	£2.57







Illuminated





LED Highbay & Linear Lowbays

LED highbays and lowbays are types of lighting fixtures commonly used in commercial and industrial settings. LED highbays are typically used in facilities with high ceilings, such as warehouses, distribution centres, gymnasiums, and factories. They are designed to provide bright, high-intensity lighting over a large area, and are typically mounted at a height of 20 feet or higher. LED highbays offer energy savings and longer lifespan compared to traditional highbay lighting options such as metal halide or high-pressure sodium lamps. LED lowbays are designed for use in spaces with lower ceilings, such as garages, storage rooms, and workshops.





PRO Linear Lowbays



SKU CCT	Watts	Lumens	Beam Angle	Size(mm)	Box Qty	Trade Price
21891 - 4000K 21892 - 6500K	100	9800	110°	537x130x96mm	9	£104.14
21893 - 4000K	150	14500	110°	798x130x96mm	6	£157.29
21895 - 4000K 21896 - 6500K	200	19500	110°	1059x130x96mm	6	£185.43

PRO Highbay with LIFUD Driver



25,000 Hours Lifespan

Aluminium

AC:175-265V, 50/60Hz

IP65



SKU CCT	Watts	Lumens	Beam Angle	Size(mm)	Box Qty	Trade Price
20480 - 4000K 20481 - 6500K	100W	14000	360°	233x156mm	1	£102.86
20482 - 4000K 20483 - 6500K	150W	21000	360°	278x156mm	1	£131.43
20484 - 4000K 20485 - 6500K	200W	28000	360°	305x156mm	1	£160.00









Super Efficient Flood Lights

Die Cast Aluminium

AC:220-240V, 50Hz

IP65

5 Year Warranty





SKU CCT	Watts	Lumens	Wire Length	Size(mm)	Box Qty	Trade Price
20402 - 4000K 20403 - 6500K	30	4100	35cm	165x46x204.5mm	10	£25.71
20404 - 4000K 20405 - 6500K	50	6850	35cm	197.5x46x241.5mm	10	£34.29
20406 - 4000K 20407 - 6500K	100	13700	lm	247.5x49.5x299mm	4	£65.71
20408 - 4000K 20409 - 6500K	150	20500	lm	318.5x55x390mm	2	£82.86
20410 - 4000K 20411 - 6500K	200	27350	lm	371x57x458.5mm	2	£151.43

LED Photocell Floodlight

Diecast Aluminium
AC:220-240V, 50Hz

1200

5 Year Warranty

Dusk till Dawn



SKU CCT	Watts	Lumens	Wire Length	Size(mm)	Box Qty	Trade Price
20169 - 3000K 20170 - 4000K 20171 - 6500K	30	3000		165x46x204.5mm	20	£24.99
20172 - 3000K 20173 - 4000K 20174 - 6500K	50	5000		197.5x46x241.5mm	10	£33.99
20175 - 3000K 20176 - 4000K 20177 - 6500K	100	10000		247.5x49.5x299mm	4	£53.99
20178 - 3000K 20179 - 4000K 20180 - 6500K	150	15000		318.5x55x390mm	2	£84.99
20181 - 3000K 20182 - 4000K 20183 - 6500K	200	20000		371x57x458.5mm	2	£112.99



LED Floodlights with built in PIR Sensor-White

Diecast Aluminium

AC:220-240V, 50Hz

IP65

5 Year Warranty

Available with built in terminal box

Available with pre-wired 1m flex



SKU CCT	Watts	Lumens	Туре	Size(mm)	Box Qty	Trade Price
20268 - 3000K 20269 - 4000K 20270 - 6500K	10	735	Junction Box	133x60x113mm	20	£19.00
20271 - 3000K 20272 - 4000K 20273 - 6500K	20	1510	Junction Box	157x60x128mm	20	£22.99
20274 - 3000K 20275 - 4000K 20276 - 6500K	30	2340	Junction Box	177x60x143mm	10	£26.43
20277 - 3000K 20278 - 4000K 20279 - 6500K	50	4000	Junction Box	195x60x178mm	10	£31.99
20292 - 3000K 20293 - 4000K 20294 - 6500K	10	735	1m Flex	133x60x113mm	20	£19.00
20295 - 3000K 20296 - 4000K 20297 - 6500K	20	1510	1m Flex	157x60x128mm	20	£22.99
20298 - 3000K 20299 - 4000K 20300 - 6500K	30	2340	1m Flex	177x60x143mm	10	£26.43
20301 - 3000K 20302 - 4000K 20303 - 6500K	50	4000	1m Flex	195x60x178mm	10	£31.99







LED Floodlights with built in PIR Sensor-Black

Diecast Aluminium

AC:220-240V, 50Hz

IP65

5 Year Warranty

Available with built in terminal box

Available with pre-wired 1m flex



SKU CCT	Watts	Lumens	Туре	Size(mm)	Box Qty	Trade Price
20256 - 3000K 20257 - 4000K 20258 - 6500K	10	735	Junction Box	133x60x113mm	20	£18.99
20259 - 3000K 20260 - 4000K 20261 - 6500K	20	1510	Junction Box	157x60x128mm	20	£22.99
20262 - 3000K 20263 - 4000K 20264 - 6500K	30	2340	Junction Box	177x60x143mm	10	£26.43
20265 - 3000K 20266 - 4000K 20267 - 6500K	50	4000	Junction Box	195x60x178mm	10	£31.99
20280 - 3000K 20281 - 4000K 20282 - 6500K	10	735	1m Flex	133x60x113mm	20	£18.99
20283 - 3000K 20284 - 4000K 20285 - 6500K	20	1510	1m Flex	157x60x128mm	20	£22.99
20286 - 3000K 20287 - 4000K 20288 - 6500K	30	2340	1m Flex	177x60x143mm	10	£26.43
20289 - 3000K 20290 - 4000K 20291 - 6500K	50	4000	1m Flex	195x60x178mm	10	£31.99








High Power Series

Die Cast Aluminium

AC:220-240V, 50Hz

IP65

5 Year Warranty



SKU CCT	Watts	Lumens	Wire Length	Size(mm)	Box Qty	Trade Price
21766 - 4000K 21767 - 6500K	100	11500	lm	291x240x30mm	4	£52.86
21772 - 4000K 21773 - 6500K	150	17300	lm	404x322x48mm	2	£100.57
21778 - 4000K 21779 - 6500K	200	23000	lm	439x346x48mm	2	£122.86
965 - 6400K	400	48000	1m	580x505x155mm	1	£282.86
21791 - 4000K 21792 - 6500K	300	34500	lm	529x415x55mm	2	£177.14
967 - 6400K	500	60000	1m	580x505x155mm	1	£314.29
21969 - 6500K	1000	120000	1m	709x155x760mm	1	£820.09

White Slimline LED Floodlight Series

Diecast Aluminium

AC:220-240V,50Hz

IP65



SKU CCT	Watts	Lumens	Wire Length	Size(mm)	Box Qty	Trade Price
21427 - 3000K	10	735	30cm	115x26x108mm	20	£7.86
21442 - 3000K 443 - 4000K 444 - 6400K	20	1600	30cm	153x27x132mm	20	£11.43
950 - 6400K	30	2400	1m	178x152x28mm	10	£16.71
21403 - 3000K 21404 - 4000K	30	2340	30cm	178x152x28mm	10	£17.14
952 - 6400K	50	4000	lm	223x28x188mm	8	£23.71
21409 - 3000K 21410 - 4000K	50	4000	30cm	223x188x28mm	8	£25.71
21415 - 3000K 21416 - 4000K 21417 - 6500K	100	8200	1m	291x240x30mm	4	£45.86
478 - 3000K	150	12000	1m	404x322x52mm	2	£94.29
420 - 4000K 421 - 6400K	200	16000	lm	439x346x56mm	2	£102.86



Black Slimline LED Floodlight Series

Die Cast Aluminium

AC:220-240V, 50Hz

IP65



SKU CCT	Watts	Lumens	Wire Length	Size(mm)	Box Qty	Trade Price
424 - 3000K	10	800	30cm	115x108x26mm	20	£7.86
21947 - 6500K	10	735	lm	115x108x26mm	20	£7.86
20012 - 4000K 21948 - 6500K	20	1600	lm	153x27x132mm	20	£11.43
439 - 3000K	20	1600	30cm	153x132x27mm	20	£11.43
21949 - 6500K	30	2340	lm	178x28x152mm	10	£16.71
21406 - 3000K	50	4000	30cm	223x28x188mm	8	£25.71
2120014 - 4000K 21951 - 6500K	50	4000	lm	223x188x28mm	8	£23.71
21412 - 3000K 21413 - 4000K 21414 - 6500K	100	8200	lm	291x240x30mm	4	£45.86
476 - 4000K 477 - 6400K	150	12000	1m	404x52x322mm	2	£94.29
418 - 4000K 21419 - 6500K	200	16000	lm	439x56x346mm	2	£102.86
21422 - 4000K 21423 - 6500K	300	24800	lm	529x415x55mm	2	£164.14



RGB Floodlight

Aluminium

AC:200-240V

IP65

2 Year Warranty





SKU

5977



SKU CCT	Watts	Size(mm)	Box Qty	Trade Price
5995 - RGB	30	185x163x26mm	20	£20.00
5996 - RGB	50	245x192x28mm	10	£25.29

VT-868 BLACK WATERPROOF TERMINAL BLOCK -CABLE DIAmetre(5-9mm),IP68

VT-881 BLACK 3 PIN TERMINAL BLOCK IP66





£3.29



SKU	Watts	Box Qty	Trade Price
5987		50	£2.29

50



ECO LED Work Lights

Die Cast Aluminium AC:100-265V, 50Hz

AC:100-205V, 50H

IP65

5 Year Warranty







SKU CCT	Watts	Lumens	Wire Length	Size(mm)	Box Qty	Trade Price
20121 - 6400K	50	5000	1.5M	197.5x65x245mm	10	£31.43
2120122 - 6500K	100	9400	1.5m	247.5x65x305mm	4	£54.00

TRIPOD STAND FOR FLOOD LIGHT-YELLOW BODY




SKU	Box Qty	Trade Price
9104	8	£22.86

TRIPOD STAND FOR FLOODLIGHT-BLACK BODY



SKU	Box Qty	Trade Price
9546	8	£22.86





Remote Control Solar Floodlights

NEW

5m cable included
4 Hours Charging
IP65
2 Year Warranty



SKU CCT	Watts	Lumens	Battery	Size(mm)	Box Qty	Trade Price
6965 - 4000K 6964 - 6400K	6W Solar panel	400	5000mAh Battery	175x50x210mm	12	£34.29
6967 - 4000K 6966 - 6400K	12W Solar panel	1200	10000mAh Battery	215x50x260mm	7	£57.14
6969 - 4000K 6968 - 6400K	16W Solar panel	1600	15000mAh Battery	215x50x260mm	7	£62.86
6970 - 4000K 6971 - 6400K	20W Solar panel	2400	20000mAh Battery	255x50x310mm	4	£71.43



Solar Wall Lights

3.7V Lithium Battery 1200mAh

Maximum 24 Hours

6-7 Hours Sunlight Charging

IP65

2 Year Warranty



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
8276 - 4000K	1.5	220	144.5x96x79mm	20	£19.86

Solar Wall Lights

3.7V Lithium Battery 1200mAh

Maximum 24 Hours

6-7 Hours Sunlight Charging

IP65

2 Year Warranty



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
8277 - 4000K	1.5	220	144.5x96x79mm	20	£19.86

Solar Wall Lights

3.7V Lithium Battery 4000mAh

Maximum 24 Hours

6-7 Hours Sunlight Charging

IP65

2 Year Warranty



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
8278 - 4000K	7	800	270x221x109.2mm	8	£65.71

Solar Wall Lights

3.7V Lithium Battery 4000mAh

Maximum 24 Hours

6-7 Hours Sunlight Charging

IP65



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
8279 - 4000K	7	800	270x221x109.2mm	8	£65.71





LED Up-Down Wall Lights

20,000 Hours Lifespan

Aluminium

AC:220-240V, 50Hz

IP65

2 Year Warranty

Adjustable beam angle











SKU CCT	Watts	Lumens	Size	Unit Colour	Box Qty	Trade Price
217078 - 3000K 217087 - 4000K	5	700	100x100x100mm	Black	20	£33.00
217079 - 3000K 217088 - 4000K	5	700	100x100x100mm	White	20	£33.00
218529 - 3000K 218530 - 4000K	11	1360	100x100x100mm	Black	20	£38.29
218527 - 3000K 218528 - 4000K	11	1360	100x100x100mm	White	20	£38.29



LED Rotatable Wall Lights with PIR Sensor

20,000 Hours Lifespan

Aluminium

AC:220-240V, 50/60Hz

IP65

2 Year Warranty











SKU CCT	Watts	Lumens	Size	Unit Colour	Box Qty	Trade Price
2940 - 3000K 2941 - 4000K	17	2520	212x165x100mm	Black	12	£92.43
2938 - 3000K	17	2520	212x165x100mm	White	12	£92.43

E27 Wall Lamps



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
8517	IP44	Matt Black	10	£32.86

E27 Wall Lamps



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
8518	IP44	Matt White	10	£32.86

GU10 Wall Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
7501	IP44	Stainless	24	£15.71

GU10 Wall Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
7502-PIR	IP44	Stainless Steel	24	£31.57

GU10 Up Down Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
7500	IP44	Stainless Steel	16	£18.57

GU10 Up Down Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
7503-PIR	IP44	Stainless Steel	12	£35.71



GU10 Up Down Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
7569	IP44	Matt Black	16	£18.57

GU10 Up Down Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
7570	IP44	Matt White	16	£18.57

GU10 Up Down Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
7512	IP44	Black	12	£38.57

GU10 Up Down Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
7543	IP44	White	12	£38.57

E27 Wall Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
93573	IP44	Black- Round	10	£15.71

E27 Wall Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
93574	IP44	Black- Square	10	£20.86

GU10 Up Down Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
5157	IP44	Stainless Steel	12	£42.29

GU10 Garden Spikes Fittings



SKU	IP Rating	Unit Colour	Box Qty	Trade Price
7518	IP44	Silver	8	£26.86





Motion Sensor

Many areas, such as driveways, lobbies, parking garages and staircases remain unused for long hours but do need lighting to be lit automatically in case of movement. A motion sensor is a device that detects movements, and in some cases, light conditions and then transmits a signal for illumination.







SKU	Unit Colour	Box Qty	Trade Price
6608	White	50	£11.86
6609	Black	50	£11.86

Infrared Sensors

Sensor Type	Infrared
IP Rating	IP20
Detection Range	360°
Detection Distance	Max. 8m(<24°C)
Detection Motion Speed	0.6-1.5m/s
Ambient Light	<3-2000LUX(adjustable)
Voltage	AC:220-240V, 50/60Hz
Rated Load	Max 400W LED
Size(mm)	50x62mm
Time Delay	Min. 10sec±3sec, Max. 15min±2min
Body Type	Polycarbonate





SKU	Unit Colour	Box Qty	Trade Price
5087	Black	50	£13.29
5086	White	50	£13 29

Infrared Sensors

Sensor Type	Infrared
IP Rating	IP20
Detection Range	360°
Detection Distance	Max 8m(<24°C)
Detection Motion Speed	0.6-1.5m/s
Ambient Light	<3-2000LUX(adjustable)
Voltage	AC:220-240V, 50/60Hz
Rated Load	Max 1000W LED
Size(mm)	115x25mm
Time Delay	Min 10sec±3sec, Max 15min±2min
Body Type	Polycarbonate





SKU	Unit Colour	Box Qty	Trade Price
1356	White	50	£14.00

Infrared Sensors

Sensor Type	Infrared
IP Rating	IP20
Detection Range	360°
Detection Distance	Max 6m(<24°C)
Detection Motion Speed	0.6-1.5m/s
Ambient Light	<3-2000LUX(adjustable)
Voltage	AC:220-240V, 50/60Hz
Rated Load	Max 300W LED
Size(mm)	76x75.6mm
Time Delay	Min 10sec±3sec, Max 15min±2min
Body Type	Polycarbonate





SKU	Unit Colour	Box Qty	Trade Price
5082	White	50	£10.43

Infrared Sensors

Sensor Type	Infrared
IP Rating	IP65
Detection Range	120°/360°
Detection Distance	3/6m(<24°C)
Detection Motion Speed	0.6-1.5m/s
Ambient Light	10LUX/2000LUX(choice)
Voltage	AC:220-240V, 50/60Hz
Rated Load	Max 400W LED
Size(mm)	36.8x25.5x55.4mm
Time Delay	5sec, 30sec, 1min, 3min, 5min, 8min(choice)
Body Type	Plastic





SKU	Unit Colour	Box Qty	Trade Price
5091	White	50	£13.57

Infrared Sensors

Infrared
IP20
360°
Max 8m(<24°C)
0.6-1.5m/s
<3-2000LUX(adjustable)
AC:220-240V, 50/60Hz
Max 400W LED
98x73x82mm
Min 10sec±3sec, Max 15min±2min
Polycarbonate





SKU	Unit Colour	Box Qty	Trade Price
1355	White	50	£16.57

Infrared Sensors

Sensor Type	Infrared
IP Rating	IP20
Detection Range	360°
Detection Distance	Max 12m(<24°C)
Detection Motion Speed	0.6-1.5m/s
Ambient Light	<3-2000LUX(adjustable)
Voltage	AC:220-240V, 50/60Hz
Rated Load	Max 300W LED
Size(mm)	88x55mm
Time Delay	Min 10sec±3sec, Max 15min±2min
Body Type	Polycarbonate





SKU	Unit Colour	Box Qty	Trade Price
5078	White	50	£15.71

Microwave Sensors

Sensor Type	Microwave
IP Rating	IP20
Detection Range	180°/360°
Detection Distance	1-8m(radius) adjustable
Detection Motion Speed	0.6-1.5m/s
Ambient Light	<3-2000LUX(adjustable)
Voltage	AC:220-240V, 50/60Hz
Rated Load	Max 300W LED
Size(mm)	37x25x61.5mm
Time Delay	Min 10sec±3sec, Max 12min±1min
Body Type	Plastic





SKU	Unit Colour	Box Qty	Trade Price
5083	White	50	£19.57

Microwave Sensors

Sensor Type	Microwave
IP Rating	IP20
Detection Range	360°
Detection Distance	5m-15m(adjustable)
Detection Motion Speed	0.6-1.5m/s
Ambient Light	<3-2000LUX(adjustable)
Voltage	AC:220-240V, 50/60Hz
Rated Load	Max 300W LED
Size(mm)	80x80x32mm
Time Delay	10 sec to 12 min (adjustable)
Body Type	Plastic





SKU	Unit Colour	Box Qty	Trade Price
1446	White	50	£17.57

Microwave Sensors

Sensor Type	Microwave
IP Rating	IP20
Detection Range	360°
Detection Distance	1-8m(radius) Adjustable
Detection Motion Speed	0.6-1.5m/s
Ambient Light	<3-2000LUX(adjustable)
Voltage	AC:220-240V, 50/60Hz
Rated Load	Max 300W LED
Time Delay	Min 10sec±3sec, Max 12min±1min



SKU	Unit Colour	Box Qty	Trade Price
5571	White	50	£13.86
5572	Black	50	£13.86

Microwave Sensors

Sensor Type	Microwave
IP Rating	IP65
Detection Range	180°/360°
Detection Distance	5m/10m
Detection Motion Speed	0.6-1.5m/s
Ambient Light	<25-2000LUX
Voltage	AC:220-240V, 50/60Hz
Rated Load	Max 200W
Size(mm)	115x35x25mm
Time Delay	Min 10sec±3sec, Max 15min±2min
Body Type	Plastic



SKU	Unit Colour	Box Qty	Trade Price
5081	White	50	£4.14

Photocell Sensors

Sensor Type	Photocell
IP Rating	IP44
Detection Range	360°
Ambient Light	<5-15LUX(adjustable)
Voltage	AC:220-240V, 50Hz
Size(mm)	35.5x46x44.1mm
Time Delay	5 sec to 8 min (adjustable)
Body Type	Plastic





G13-T8 - Nano Plastic Tube

25,000 Hours Lifespan

Nano Plastic
AC:220-240V, 50Hz
IP20



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
21650 - 3000K 21651 - 4000K 21652 - 6500K	9	850	600x28mm	25	£4.29
21654 - 4000K 655 - 6400K	18	1700	1200x27.9mm	25	£6.57
21656 - 3000K 21657 - 4000K 21658 - 6500K	20	2100	1500x28mm	25	£6.29



High Lumen Nano Plastic Tube

25,000 Hours Lifespan

Nano Plastic

AC:220-240V, 50Hz

IP20

5 Year Warranty



SKU CCT	Watts	Lumens	Size(mm)	Box Qty	Trade Price
21672 - 4000K 21673 - 6500K	16.5	1850	1200x28mm	25	£7.14
21674 - 4000K 21675 - 6500K	24	3000	1500x28mm	25	£10.00

Single Fitting

Iron

AC:200-240V, 50/60Hz

IP20

2 Year Warranty



SKU	Size(mm)	Box Qty	Trade Price
6052	615x45x50mm	20	£7.86
6054	1225x45x50mm	20	£10.00
6056	1520x45x50mm	20	£12.86



Double Fitting

lron

AC:200-240V, 50/60Hz

IP20



SKU	Size(mm)	Box Qty	Trade Price
6053	615x55x50mm	20	£9.29
6055	1225x55x50mm	12	£12.57
6057	1520x55x50mm	12	£14.29







LED Bulbs

Find the right bulb in V-TAC's newly improved range of LED bulbs. Our recent in-branding program enabled us to equip all PRO Series lamps with LEDs provided by Samsung. From aesthetically pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, wattages, and lumens, we have a complete range of options to replace traditional lamps and achieve energy-saving lighting in your home, office, or business.



LED Golf Lamps

20,000 Hours Lifespan

Thermoplastic

AC:220-240V, 50Hz

IP20







SKU CCT	Watts	Lumens	Туре	Base	Dimmable	Box Qty	Trade Price
21168 - 3000K 21169 - 4000K 21170 - 6500K	4.5	470	P45	E14	No	20	£1.57
856 - 3000K	5.5	470	P45	E14	No	12	£1.57
863 - 3000K 21864 - 4000K 865 - 6400K	7	600	P45	E14	No	20	£2.00
21104 - 3000K	4.5	470	G45	B22	No	12	£1.71
21174 - 3000K 175 - 4000K 21176 - 6500K	4.5	470	G45	E27	No	10	£1.57
857 - 3000K	5.5	470	G45	E27	No	12	£1.57
21866 - 3000K 21867 - 4000K 21868 - 6500K	6.5	600	G45	E27	No	10	£2.00



LED GLS Lamps

20,000 Hours Lifespan

Thermoplastic

AC:220-240V, 50Hz

IP20







SKU CCT	Watts	Lumens	Туре	Base	Dimmable	Box Qty	Trade Price
21852 - 3000K	8.5	806	A60	B22	Yes	12	£4.43
21101 - 3000K 21850 - 4000K 21851 - 6500K	8.5	806	A60	B22	No	12	£1.86
21102 - 3000K 20472 - 4000K 21853 - 6500K	10.5	1055	A60	B22	No	12	£2.43
943 - 4000K	15	1250	A65	B22	No	12	£3.00
21854 - 3000K 21855 - 6500K	15	1521	A65	B22	No	12	£3.00
217260 - 3000K 217261 - 4000K 217262 - 6500K	8.5	806	A60	E27	No	20	£1.29
159 - 3000K 160 - 4000K 161 - 6400K	15	1250	A65	E27	No	10	£2.29
162 - 3000K 163 - 4000K 164 - 6400K	17	1521	A65	E27	No	10	£2.71





LED Candle Lamps

20,000 Hours Lifespan

Thermoplastic

AC:220-240V, 50Hz

IP20

5 Year Warranty











SKU CCT	Watts	Lumens	Туре	Base	Dimmable	Box Qty	Trade Price
21171 - 3000K 21172 - 4000K 21173 - 6500K	4.5	470	Candle	E14	No	20	£1.57
2120045 - 3000K 2120186 - 4000K 2120187 - 6500K	5.5	470	Candle	E14	Yes	10	£2.86
111 - 3000K 112 - 4000K 113 - 6400K	7	600	Candle	E14	No	10	£2.00
21860 - 3000K	4.5	470	Candle	B15	No	12	£1.71
21861 - 3000K	5.5	470	Candle	B15	Yes	12	£2.86
21103 - 3000K 2120152 - 6500K	4.5	470	Candle	B22	No	12	£1.71
2143441 - 6500K	4.5	470	Candle	E27	No	10	£1.43
2143421 - 3000K 2143431 - 4000K	4.5	470	Candle	E27	No	20	£1.43

Reflector Bulbs PRO

20,000 Hours Lifespan

Thermoplastic

AC:220-240V, 50Hz

IP20







o icai vvairainy							
SKU CCT	Watts	Lumens	Туре	Base	Dimmable	Box Qty	Trade Price
21212 - 6500K	2.9	250	R39	E14	No	20	£1.71
210 - 3000K 211 - 4000K	3	250	R39	E14	No	20	£1.71
21138 - 3000K 21139 - 4000K 21140 - 6500K	4.8	470	R50	E14	No	20	£2.29
21141 - 3000K 21142 - 4000K 21143 - 6500K	8.5	806	R63	E27	No	20	£2.57
21136 - 4000K 137 - 6400K	10	800	R80	E27	No	10	£3.43
21135 - 3000K	11	1055	R80	E27	No	10	£3.43



Clear Filament Bulbs

20,000 Hours Lifespan

Glass

AC:220-240V, 50Hz

IP20

2 Year Warranty









SKU CCT	Watts	Lumens	Туре	Base	Dimmable	Box Qty	Trade Price
2870 - 3000K	4	400	Candle	E14	Yes	20	£4.29
214301 - 3000K	4	400	Candle	E14	No	10	£2.14
106 - 3000K	4	400	A60	B22	No	12	£3.29
212815 - 3000K	8	720	A60	E27	Yes	20	£4.14

Clear Filament High-Lumens Bulbs

20,000 Hours Lifespan

Glass

AC:220-240V, 50Hz

IP20

2 Year Warranty









SKU CCT	Watts	Lumens	Туре	Base	Dimmable	Box Qty	Trade Price
2848 - 3000K 212849 - 4000K 212850 - 6500K	6	800	Candle	E14	No	20	£2.29
2854 - 2700K 2855 - 4000K 2856 - 6400K	6	800	P45	E14	No	20	£2.29
2851 - 2700K 2852 - 4000K 2853 - 6400K	6	800	G45	E27	No	20	£2.29




String Lights

SKU	Base	Box Qty	Trade Price
7686	E27	4	£57.14



- · Tested weatherproof sockets: Suitable for outdoor lighting applications
- · Length: 15m
- · 15 E27 holders (Bulbs not included)
- · Linkable up to 50 units or 1200W max
- $\boldsymbol{\cdot}$ Easy to install and link, designed with BS plug
- $\boldsymbol{\cdot}$ Suitable for events, outdoor dining, drive-ins, exterior walls, patio lighting etc.







O5 WARRANTY*

LED Spotlights

Our new range of LED spotlights with Samsung LEDs are the leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.



LED Capsules Spotlights

20,000 Hours Lifespan

Plastic Clad Aluminium

12V AC/DC

IP20







SKU CCT	Watts	Lumens	Beam Angle	Base	Dimmable	Box Qty	Trade Price
21131 - 3000K 21132 - 4000K	3.2	385	300°	G4	No	60	£4.57
133 - 6400K	3.2	385	300°	G4	No	60	£4.57
21246 - 3000K 21247 - 4000K 21248 - 6500K	3	330	300°	G9	No	60	£3.86
217429 - 3000K 217430 - 4000K 217431 - 6500K	4.5	500	300°	G9	Yes	60	£5.14



LED Spotlights-GU10

20,000 Hours Lifespan

Plastic

AC:220-240, 50Hz

P20

5 Year Warranty



sки сст	Watts	Lumens	Beam Angle	Base	Dimmable	Box Qty	Trade Price
21201 - 3000K 21202 - 4000K 21203 - 6500K	4.5	400	100°	GU10- Milky Cover	No	20	£1.57
21108 - 3000K 21797 - 4000K 21511 - 6500K	4.5	345	38°	GU10	No	12	£1.71
109 - 3000K 512 - 4000K 897 - 6400K	5	380	38°	GU10	Yes	12	£2.43
21195 - 3000K 21196 - 4000K 21197 - 6500K	6	445	38°	GU10	Yes	10	£2.71
21198 - 3000K 21199 - 4000K 21200 - 6500K	6	445	110°	GU10	Yes	20	£2.71
21189 - 3000K 21190 - 4000K 191 - 6400K	6	445	38°	GU10	No	20	£1.86
192 - 3000K 193 - 4000K 194 - 6400K	6.5	480	110°	GU10	No	10	£1.86
165 - 3000K 166 - 4000K 167 - 6400K	7	480	38°	GU10	No	20	£2.57

LED Spotlights-GU5.3

20,000 Hours Lifespan

Plastic
DC:12V

IP20

5 Year Warranty




SKU CCT	Watts	Lumens	Beam Angle	Base	Dimmable	Box Qty	Trade Price
21204 - 3000K 21206 - 6500K	6	445	110°	GU5.3	No	10	£3.14
21207 - 3000K	6	445	38°	GU5.3	No	10	£3.14
208 - 4000K 209 - 6400K	6.5	450	38°	GU5.3	No	10	£3.14
205 - 4000K	6.5	450	110°	GU5.3	No	20	£3.14



GU10 Holder 5PC Pack

SKU	Base	Box Qty	Trade Price
3423	GU10	100	£0.43





Nylon Cable Tie

Keep installations clean with V-TAC's range of cable ties. They are made of nylon and stainless steel. Cable ties feature high tensile strength and are an essential item for any toolbox.



Nylon Cable Tie White Priced and Sold in packs of 100 pcs



SKU	Maximum Hold	Size(mm)	Box Qty	Trade Price
11159	8 Kgs	2.5x100mm	50	£0.57
11161	8 Kgs	2.5x150mm	50	£0.86
11163	8 Kgs	2.5x200mm	50	£0.99
11165	18 Kgs	3.5x150mm	50	£1.29
11167	18 Kgs	3.5x200mm	50	£1.71
11171	22 Kgs	4.5x150mm	50	£1.71
11173	22 Kgs	4.5x300mm	50	£2.86
11175	22 Kgs	4.5x350mm	50	£3.86

Nylon Cable Tie Black Priced and Sold in packs of 100 pcs



SKU	Maximum Hold	Size(mm)	Box Qty	Trade Price
11160	8 Kgs	2.5x100mm	50	£0.57
11162	8 Kgs	2.5x150mm	50	£0.86
11164	8 Kgs	2.5x200mm	50	£1.14
11166	18 Kgs	3.5x150mm	50	£1.13
11168	18 Kgs	3.5x200mm	50	£1.71
11169	18 Kgs	3.5x250mm	50	£2.14
11170	18 Kgs	3.5x300mm	50	£2.43
11172	22 Kgs	4.5x150mm	50	£2.00
11174	22 Kgs	4.5x300mm	50	£3.14
11176	22 Kgs	4.5x350mm	50	£4.00

Electrical Wholesaler or Distributor?



Your centralised B2B portal for everything lighting — and more...



Real-time Status



Bulk Pricing Deals



Track your order



New Arrivals



Back-In-Stock



www.vtacexports.com

your free registration.



Hi-res downloadable product images Complete access to product sheets, certifications, manuals, and more!

*T&C Apply

