




Spa

BATHROOM LIGHTING



FORUM
LIGHTING SOLUTIONS

forumlightingsolutions.com





Spa

BATHROOM

A beautiful range of decorative lighting and mirrors, designed to brighten any bathroom.

NEW RANGE	4-13
COLLECTIONS	14-28
LED	29-34
SPOTLIGHTS	31--38
CEILING	39-49
RECESSED/DOWNLIGHTS	50-56
WALL	57-62
MIRRORS	63-73
SMART TOILETS	74-79
SPA PREMIUM	80-87
INFORMATION /	88
COLOUR TEMPERATURES	
IP RATING /	89
BATHROOM ZONING	

NEW**280
Lumens****IP44**

- Aluminium construction with opal glass shade
- Available in 3 finishes
- 3W LED module (SMD)
- Lm/W: 93
- CRI: 80



AGLOS

LED Bathroom Wall Light



Code	Finish	Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions
SPA-38573-TBLK	Textured Black	NEW Aglos Bathroom Wall Light	3W	4000k	280	H:190mm W:130mm Proj:180mm
SPA-38573-CHR	Chrome	NEW				
SPA-38573-SBRS	Satin Brass	NEW				

NEW**IP44**

- Contemporary bathroom wall light
- Available in 3 finishes



THIVA

Bathroom Wall Light



Code	Finish	Description	Lamp	Dimensions
SPA-38576-TBLK	Textured Black	NEW Thiva Bathroom Wall Light	1 x 3W max LED G9	H:165mm W:160mm Proj:165mm
SPA-38576-CHR	Chrome	NEW		
SPA-38576-SBRS	Satin Brass	NEW		

NEW**400
Lumens****IP44**

- Crackle effect diffuser
- 5W LED module (SMD)
- Lm/W: 80
- CRI: 80



RHODES

LED Bathroom Wall Light

Code	Finish	Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions
SPA-36300-CHR	Chrome	NEW Rhodes LED Wall Light	5W	4000k	400	H:220mm W:100mm Proj:140mm

IP44

800
Lumens

NEW

- Crackle effect diffuser
- 10W LED module (SMD)
- K: 4000
- Lm: 800
- Lm/W: 80
- CRI: 80



RHODES

LED Bathroom 2 Light Wall Light

IP44
Rated4000K
CW

Class 1



0.6kg

Code	Finish		Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions
SPA-36301-CHR	Chrome	NEW	Rhodes LED 2 Light Wall Light	10W	4000k	800	H:220mm W:250mm Proj:140mm

- Crackle effect diffuser
- Matching wall light available

SPA-36302-CHR

- 15W LED module (SMD)
- Lm/W: 60

SPA-36303-CHR

- 24W LED module (SMD)
- Lm/W: 60



IP44

Upto
1400
Lumens

NEW



RHODES

LED Ceiling Light

IP44
Rated4000K
CW

Class 1

Code	Finish		Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions	Weight
SPA-36302-CHR	Chrome	NEW	Rhodes 3 Light Ceiling Light	15W	4000k	900	H:175mm Dia:430mm	1.15kg
SPA-36303-CHR	Chrome	NEW	Rhodes 5 Light Ceiling Light	24W	4000k	1400	H:175mm Dia:500mm	1.55kg



IP44

NEW

- Contemporary bathroom wall light
- Steel construction with glass opal shades



PARGA

Bathroom Wall Light

IP44
Rated

Class 1

Code	Finish		Description	Lamp	Dimensions	Weight
SPA-38574-CHR	Chrome	NEW	Parga 1 Light Wall Light	1 x 3W max LED G9	H:125mm W:135mm Proj:125mm	0.35kg
SPA-38575-CHR	Chrome	NEW	Parga 3 Light Wall Light	3 x 3W max LED G9	H:130mm W:465mm Proj:130mm	1.05kg

NEWUpto
1200
Lumens**IP44****SPA-36309-CHR**

· Lm/W: 50

SPA-36310-CHR

· Lm/W: 53

SPA-36311-CHR

· Lm/W: 48



EDESSA

LED Ceiling Light



Code	Finish		Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions	Weight
SPA-36309-CHR	Chrome	NEW	Edessa LED 2 Light Wall Light	10W	4000k	500	H:225mm W:320mm Proj:50mm	0.5kg
SPA-36310-CHR	Chrome	NEW	Edessa 3 Light Ceiling Light	15W	4000k	800	H:90mm Dia:430mm	0.7kg
SPA-36311-CHR	Chrome	NEW	Edessa 5 Light Ceiling Light	25W	4000k	1200	H:105mm Dia:600mm	1kg

NEW**IP44**

- Contemporary bathroom wall light
- Diamond cut glass designed shades

VOLOS

Wall Light



Code	Finish		Description	Lamp	Dimensions
SPA-35808-CHR	Chrome	NEW	Volos 2 Light Wall Light	2 x 3W max LED G9	H:280mm W:150mm Proj:110mm

NEW**IP44**

- Contemporary bathroom ceiling light
- Diamond cut glass designed shades



VOLOS

Ceiling Light



Code	Finish		Description	Lamp	Dimensions	Weight
SPA-35782-CHR	Chrome	NEW	Volos 3 Light Ceiling Light	3 x 3W max LED G9	H:140mm Dia:360mm	1.15kg
SPA-35783-CHR	Chrome	NEW	Volos 5 Light Ceiling Light	5 x 3W max LED G9	H:152mm Dia:520mm	2.05kg

IP44

NEW

- Available in satin brass/champagne glass or chrome/smoked glass



PATRAS

1 Light Wall Light



Code	Finish		Description	Lamp	Dimensions
SPA-35811-CHAMP	Satin Brass/Champagne	NEW	Patras 1 Light Wall Light	1 x 3W max LED G9	H:188mm W:110mm Proj:135mm
SPA-35811-CHR	Chrome/Smoke	NEW			

IP44

NEW

- Available in satin brass/champagne glass or chrome/smoked glass



PATRAS

3 Light Plate Ceiling Light



Code	Finish		Description	Lamp	Dimensions
SPA-35809-CHAMP	Satin Brass/Champagne	NEW	Patras 3 Light Plate Ceiling Light	3 x 3W max LED G9	H:115mm Dia:230mm
SPA-35809-CHR	Chrome/Smoke	NEW			

IP44

NEW

- Available in satin brass/champagne glass or chrome/smoked glass



PATRAS

4 Light Bar Ceiling Light



Code	Finish		Description	Lamp	Dimensions
SPA-35810-CHAMP	Satin Brass/Champagne	NEW	Patras 4 Light Bar Ceiling Light	4 x 3W max LED G9	H:115mm W:460mm Proj:100mm
SPA-35810-CHR	Chrome/Smoke	NEW			

NEW**IP44**

- Twisted style glass shades
- Available in satin brass or chrome



VERIA

2 Light Wall Light



Code	Finish		Description	Lamp	Dimensions
SPA-35830-SBRS	Satin Brass/Clear	NEW	Veria 2 Light Wall Light	2 x 3W max LED G9	H:320mm W:245mm Proj:155mm
SPA-35830-CHR	Chrome/Smoke	NEW			

NEW**IP44**

- Twisted style glass shades
- Available in satin brass or chrome



VERIA

3 Light Ceiling Light



Code	Finish		Description	Lamp	Dimensions
SPA-35828-SBRS	Satin Brass/Clear	NEW	Veria 3 Light Ceiling Light	3 x 3W max LED G9	H:175mm Dia:480mm
SPA-35828-CHR	Chrome/Smoke	NEW			

NEW**IP44**

- Twisted style glass shades
- Available in satin brass or chrome



VERIA

5 Light Ceiling Light



Code	Finish		Description	Lamp	Dimensions
SPA-35829-SBRS	Satin Brass/Clear	NEW	Veria 5 Light Ceiling Light	3 x 3W max LED G9	H:185mm Dia:460mm
SPA-35829-CHR	Chrome/Smoke	NEW			

IP44

NEW



- Available in chrome or satin brass

LINDOS

3 Light Ceiling Light



Code	Finish		Description	Lamp	Dimensions
SPA-35836-CHR	Chrome/Smoke	NEW	Lindos 3 Light Ceiling Light	3 x 3W max LED G9	H:265mm Dia:380mm
SPA-35836-SBRS	Satin Brass/Opal	NEW			

IP44

NEW



- Available in chrome or satin brass

LINDOS

5 Light Ceiling Light



Code	Finish		Description	Lamp	Dimensions
SPA-35837-CHR	Chrome/Smoke	NEW	Lindos 5 Light Ceiling Light	5 x 3W max LED G9	H:290mm Dia:470mm
SPA-35837-SBRS	Satin Brass/Opal	NEW			

IP44


NEW



- Available in chrome or satin brass

LINDOS

2 Light Wall Light



Code	Finish		Description	Lamp	Dimensions
SPA-35838-CHR	Chrome/Smoke	NEW	Lindos 2 Light Wall Light	2 x 3W max LED G9	H:335mm W:205mm Proj:105mm
SPA-35838-SBRS	Satin Brass/Opal	NEW			

NEW**IP44**

- Chrome finish with clear or smoke glass shades
- Decorative crystal style glass droplets

MEGARA

Wall Light



Code	Finish		Description	Lamp	Dimensions
SPA-35842-CLR	Chrome/Clear	NEW	Megara Wall Light	1 x 3W max LED G9	H:175mm W:110mm Proj:165mm
SPA-35842-SMK	Chrome/Smoke	NEW			

NEW**IP44**

- Chrome finish with clear or smoke glass shades
- Decorative crystal style glass droplets

MEGARA

3 Light Ceiling Light



Code	Finish		Description	Lamp	Dimensions
SPA-35840-CLR	Chrome/Clear	NEW	Megara 3 Light Ceiling Light	3 x 3W max LED G9	H:125mm Dia:280mm
SPA-35840-SMK	Chrome/Smoke	NEW			

NEW**IP44**

- Chrome finish with clear or smoke glass shades
- Decorative crystal style glass droplets

MEGARA

5 Light Ceiling Light



Code	Finish		Description	Lamp	Dimensions
SPA-35841-CLR	Chrome/Clear	NEW	Megara 5 Light Ceiling Light	5 x 3W max LED G9	H:130mm Dia:357mm
SPA-35841-SMK	Chrome/Smoke	NEW			

IP44

NEW



- Chrome finish with clear or smoke glass shades
- Decorative crystal style glass droplets

MEGARA

2 Light Cloche Ceiling Light

IP44
Rated

Class 2



1.3kg

Code	Finish	Description	Lamp	Dimensions
SPA-35839-CLR	Chrome/Clear NEW	Megara 2 Light Cloche Ceiling Light	2 x 3W max LED G9	H:197mm Dia:250mm
SPA-35839-SMK	Chrome/Smoke NEW			

11
New Range

IP44

NEW



- Available in chrome or satin brass

SPARTI

Wall Light

IP44
Rated

Class 2



0.6kg

Code	Finish	Description	Lamp	Dimensions
SPA-35843-CHR	Chrome NEW	Sparti Wall Light	1 x 3W max LED G9	H:267mm W:110mm Proj:120mm
SPA-35843-SBRS	Satin Brass NEW			

NEW

1000
Lumens

IP44



- 30W LED module (SMD)
- Lm/W: 33
- CRI: 80

LAMIA

LED Ceiling Light



Code	Finish	Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions
SPA-36128-SBRS	Satin Brass	NEW Lamia LED Ceiling Light	30W	4000k	1000	H:100mm Dia:580mm

NEW

900
Lumens

IP44



- 26W LED module (SMD)
- Lm/W: 34
- CRI: 80

CHIOS

LED Ceiling Light




Code	Finish	Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions
SPA-36129-CHR	Chrome	NEW Chios LED Ceiling Light	26W	4000k	900	H:60mm Dia:400mm

NEW

1000 Lumens

IP44



- 32W LED module (SMD)
- Lm/W: 34
- CRI: 80

DAFNI

LED Ceiling Light

 IP44 Rated
  Non Dimmable
  4000K CW
  Class 2
  1.2kg

Code	Finish	Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions
SPA-36130-MBLK	Matt Black	NEW Dafni LED Ceiling Light	32W	4000k	1100	H:210mm W:845mm L:240mm

13
New Range

NEW

400 Lumens

IP44



- 11W LED module (SMD)
- Lm/W: 36
- CRI: 80

MANDRA

LED Ceiling Light

 IP44 Rated
  Non Dimmable
  4000K CW
  Class 2
  0.6kg

Code	Finish	Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions
SPA-36140-CHR	Chrome	NEW Mandra LED Ceiling Light	11W	4000k	400	H:130mm Dia:340mm



IP44



- Chrome finish
- Decorative chiselled glass droplets

BELLE

4 Light Chandelier





Code	Description	Lamp	Dimensions
SPA-24677-CHR	Belle 4 Light Chandelier	4 x 3W max LED G9	H:1140mm Dia:450mm

IP44



- Chrome finish
- Decorative chiselled glass droplets

BELLE

3 Light Semi Flush





Code	Description	Lamp	Dimensions
SPA-24678-CHR	Belle 3 Light Semi-flush	3 x 3W max LED G9	H:398mm Dia:300mm



IP44



- Chrome finish
- Clear crystal shades
- Adjustable chain length

PEGASI

9 Light Chandelier





Code	Description	Lamp	Dimensions
SPA-33929-CHR	Pegasi 9 Light Chandelier	9 x 3W max LED G9	H:1200mm Dia:550mm

IP44



- Chrome finish
- Clear crystal shades

PEGASI

5 Light Flush Chandelier




Code	Description	Lamp	Weight	Dimensions
SPA-33930-CHR	Pegasi 5 Light Flush	5 x 3W max LED G9	3.58kg	H:390mm Dia:480mm

IP44



- Chrome finish
- Clear crystal shades

PEGASI

3 Light Flush Chandelier



Code	Description	Lamp	Dimensions
SPA-33974-CHR	Pegasi 3 Light Semi-flush	3 x 3W max LED G9	H:370mm Dia:440mm

IP44



SPA-33931-CHR




SPA-33932-CHR

- Chrome finish
- Clear crystal shades

PEGASI Wall Light



Code	Description	Lamp	Weight	Dimensions
SPA-33931-CHR	Pegasi Shield Wall Light	1 x 3W max LED G9	1.25kg	H:200mm W:160mm Proj:82mm
SPA-33932-CHR	Pegasi Wall Light	1 x 3W max LED G9	0.77kg	H:195mm W:110mm Proj:175mm



IP44



- Clear glass crystal droplets
- Available in chrome & brass

VELA

9 Light Chandelier

 IP44 Rated |
  Class 1 |
  6.4kg

Code	Finish	Description	Lamp	Dimensions
SPA-19714-CHR	Chrome	Vela 9 Light Chandelier	9 x 3W max LED G9	H:1060mm Dia:580mm
SPA-19714-BRS	Brass			

IP44



- Clear glass crystal droplets
- Available in chrome & brass

VELA

Flush Chandelier

 IP44 Rated |
  Class 1 |
  3.9kg

Code	Finish	Description	Lamp	Dimensions
SPA-19713-CHR	Chrome	Vela 5 Light Flush	5 x 3W max LED G9	H:620mm Dia:500mm
SPA-19713-BRS	Brass			



IP44



- Clear glass crystal droplets
- Available in chrome & brass

VELA

Flush Chandelier



Code	Finish	Description	Lamp	Dimensions
SPA-20182-CHR	Chrome	Vela 3 Light Flush	3 x 3W max LED G9	H:520mm Dia:450mm
SPA-20182-BRS	Brass			

IP44



- Clear glass crystal droplets
- Available in chrome & brass

VELA

Wall Light



Code	Finish	Description	Lamp	Dimensions
SPA-20831-CHR	Chrome	Vela Wall Light	2 x 3W max LED G9	Proj:170mm W:285mm H:335mm
SPA-20831-BRS	Brass			

3
SIZES
AVAILABLE

IP44



- Clear glass crystal droplets
- Available in chrome & brass

CELESTE

Flush



Code	Finish	Description	Lamp	Dimensions
SPA-24869-CHR	Chrome	Celeste 4 Light Flush	4 x 3W max LED G9	H:260mm Dia:230mm
SPA-24870-CHR		Celeste 6 Light Flush	6 x 3W max LED G9	H:260mm Dia:300mm
SPA-24871-CHR		Celeste 9 Light Flush	9 x 3W max LED G9	H:298mm Dia:350mm
SPA-24869-BRS	Brass	Celeste 4 Light Flush	4 x 3W max LED G9	H:260mm Dia:230mm
SPA-24870-BRS		Celeste 6 Light Flush	6 x 3W max LED G9	H:260mm Dia:300mm
SPA-24871-BRS		Celeste 9 Light Flush	9 x 3W max LED G9	H:298mm Dia:350mm

3
SIZES
AVAILABLE

IP44



- Clear glass crystal droplets
- Available in chrome & brass

ORLANDO

Flush



Code	Finish	Description	Lamp	Weight	Dimensions
SPA-24468-CHR	Chrome	Orlando 4 Light Flush	4 x 3W max LED G9	2.36kg	L:230mm W:230mm H:189mm
SPA-24468-BRS	Brass				
SPA-24467-CHR	Chrome	Orlando 5 Light Flush	5 x 3W max LED G9	4kg	L:300mm W:300mm H:227mm
SPA-24467-BRS	Brass				



- Chrome finish
- Bulb covers

REENA

Ceiling/Wall Light



Code	Description	Lamp	Weight	Dimensions
SPA-28327-CHR	Reena 6 Light Flush	6 x 3W max LED G9	4.4kg	H:220mm Dia:660mm
SPA-28326-CHR	Reena 3 Light Flush	3 x 3W max LED G9	1.7kg	H:190mm Dia:410mm
SPA-29195-CHR	Reena Wall Light	2 x 3W max LED G9	1.0kg	Proj:138mm W:270mm H:140mm





- Glass cylinder shade
- Bulb covers for use in bathroom
- Matching items available
- Available in chrome & satin brass



GENE Ceiling Light





Code	Finish	Description	Lamp	Dimensions
SPA-31726-CHR	Chrome	Gene Cylinder Ceiling Light	3 x 3W max LED G9	H:379mm Dia:424mm
SPA-31726-SATBRS	Satin Brass			



IP44



- Glass cylinder shade
- Bulb covers for use in bathroom
- Matching items available
- Available in chrome & satin brass

GENE
Wall Light





Code	Finish	Description	Lamp	Dimensions
SPA-31725-CHR	Chrome	Gene Cylinder Wall Light	1 x 3W max LED G9	H:205mm W:100mm Proj:165mm
SPA-31725-SATBRS	Satin Brass			

IP44



- Opal glass shade
- Matching items available
- Available in 3 finishes

PORTO

Wall Light





Code	Finish	Description	Lamp	Dimensions
SPA-31306-CHR	Chrome	Porto 1 Light Wall Light	1 x 3W max LED G9	H:230mm W:120mm Proj:174mm
SPA-31306-MBLK	Matt Black			
SPA-31306-SBRS	Brass			

350 Lumens

IP44



- 5W LED module (SMD)
- Lm/W: 70
- CRI: 80
- Hrs: 20,000

BUBBLE

LED Spotlight






Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-30781-CHR	Bubble LED Spotlight	5W	3000k	350	70	Proj:140mm W:110mm H:130mm

IP44



- Opal glass shade
- Matching items available
- Available in 3 finishes

PORTO

Semi Flush



Code	Finish	Description	Lamp	Dimensions
SPA-31309-CHR	Chrome	Porto 1 Light Semi-Flush	1 x 10W max LED E27 GLS	H:340mm Dia:250mm
SPA-31309-MBLK	Matt Black			
SPA-31309-SBRS	Brass			

IP44



- Decorative tubular shades
- Available in 3 finishes

CRUX

3 Light Ceiling Fitting



Code	Finish	Description	Lamp	Dimensions
SPA-20829-CHR	Chrome	Crux 3 Light Ceiling Fitting	3 x 3W max LED G9	H:225mm Dia:350mm
SPA-20829-MBLK	Matt Black			
SPA-20829-SATBRS	Satin Brass			

960
Lumens

IP44



- 15W LED module (SMD)
- Lm/W: 64
- CRI: 80
- Hrs: 20,000

MILAN

LED 3 Light Spotlight

 IP44 Rated
  3000K WW
  Class 1
  0.9kg

Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-31733-CHR	Milan 3 Light Spotlight Plate	15W	3000k	960	64	L:255mm W:290mm H:120mm

320
Lumens

IP44



- 5W LED module (SMD)
- Lm/W: 64
- CRI: 80
- Hrs: 20,000

MILAN

LED Spotlight

 IP44 Rated
  3000K WW
  Class 1
  0.9kg

Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-31732-CHR	Milan Spotlight	5W	3000k	320	64	Proj:115mm W:85mm H:120mm

900
Lumens

IP44



- 10W LED module (SMD)
- Lm/W: 64
- CRI: 80
- Hrs: 20,000

OSLO

Crackle LED Spotlight



Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-31730	Oslo Wall Light	10W	3000k	740	90	H:150mm W:90mm Proj:105mm

3600
Lumens

IP44



- 40W LED module (SMD)
- Lm/W: 45
- CRI: 80
- Hrs: 20,000

OSLO

Crackle LED 4 Light Spotlight



Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-31731	Oslo 8 Ceiling Fitting	40W	3000k	1800	90	H:105mm W:250mm L:330mm

1100
Lumens

IP44



- 15W LED module (SMD)
- Lm/W: 74
- CRI: 80
- Hrs: 20,000

FELIX

Bubble LED 3 Light Spotlight



Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-31735-CHR	Felix 3 Light Bubble Spotlight	15W	4000k	1100	74	H:115mm Dia:200mm

1480
Lumens

IP44



- 20W LED module (SMD)
- Lm/W: 74
- CRI: 80
- Hrs: 20,000

FELIX

Bubble LED 4 Light Spotlight



Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-31780-CHR	Felix Bubble 4 Light Bar	20W	4000k	1480	74	L:774mm W:80mm H:140mm

1350
Lumens

IP44



- Chrome finish with opal acrylic diffusers
- 20W LED module (SMD)
- Lm/W: 67
- CRI: 80
- Hrs: 20,000

AMALFI LED 4 Light Bar



IP44
Rated

4000K
CW

Class 2

1.17kg

Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-31737-CHR	Amalfi 4 Light Bar	20W	4000k	1350	67	L:530mm W:110mm H:65mm


950
Lumens

IP44



- Chrome finish with opal acrylic diffusers
- 15W LED module (SMD)
- Lm/W: 63
- CRI: 80
- Hrs: 20,000

AMALFI LED 3 Light Flush



IP44
Rated

4000K
CW

Class 2

1.14kg

Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-31736-CHR	Amalfi 3 Light Flush	15W	4000k	950	63	H:65mm Dia:250mm

IP44



- Chrome finish
- Directable spotlights

FREYA

3 Light Spotlight





Code	Description	Lamp	Dimensions
SPA-35080-CHR	Freya 3 Light Spotlight	3 x 7W max LED GU10	H:140mm W:280mm L:220mm

IP44



- Chrome finish
- Directable spotlights



FREYA

4 Light Bar Spotlight





Code	Description	Lamp	Dimensions
SPA-35081-CHR	Freya 4 Light Bar Spotlight	4 x 7W max LED GU10	H:140mm W:620mm L:80mm



IP44



- Available in 3 finishes
- Directable spotlights

SCORPIUS

4 Light Bar Spotlight

 IP44 Rated |
  Class 1 |
  2.26kg

Code	Finish	Description	Lamp	Dimensions
SPA-22560-CHR	Chrome	Scorpius 4 Light Bar Spotlight	4 x 7W max LED GU10	L:620mm W:80mm H:140mm
SPA-22560-MBLK	Matt Black			
SPA-22560-BRS	Brass			

IP44



- Directable spotlights


SCORPIUS

2 Light Bar Spotlight

 IP44 Rated |
  Class 1 |
  1.02kg

Code	Description	Lamp	Weight	Dimensions
SPA-31292-CHR	Scorpius 2 Light bar	2 x 7W max LED GU10	1.02kg	L:250mm W:80mm H:140mm

IP44



- Available in 3 finishes
- Directable spotlights

SCORPIUS

3 Light Spotlight



Code	Finish	Description	Lamp	Dimensions
SPA-27405-CHR	Chrome			
SPA-27405-MBLK	Matt Black	Scorpilus 3 Light Spotlight	3 x 7W max LED GU10	L:280mm W:220mm H:140mm
SPA-27405-BRS	Brass			

IP44



- Directable spotlights

SCORPIUS

Spotlight



Code	Description	Lamp	Dimensions
SPA-27401-CHR	Scorpilus Spotlight	1 x 7W max LED GU10	H:170mm W:100mm Proj:150mm



- Frosted glass
- Soft glow lighting

CARINA

Flush Ceiling Fitting

IP44 Rated | Class 1 | 0.95kg

Code	Description	Lamp	Dimensions
SPA-AS-2831-CHR	Carina Flush Ceiling Fitting	1 x 10W max LED E27 GLS Bulb	H:88mm Dia:370mm

Upto
900
Lumens

IP44

2
SIZES
AVAILABLE



- Glass opal diffuser
- Stylish & practical ceiling flush
- Available in 2 sizes & 4 colour options

Small - 180mm

- 12W LED module (SMD)
- K: 4000
- Lm: 600
- Lm/W: 50
- Hrs: 20,000

Large - 310mm

- 18W LED module (SMD)
- K: 4000
- Lm: 900
- Lm/W: 50
- Hrs: 20,000



DELPHI

LED Flush



Code	Finish	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	CRI	Dimensions
SPA-34046-CHR	Chrome	Delphi Small LED Flush	12W	4000k	600	50	>80	H:55mm Dia:180mm
SPA-34046-SNIC	Satin Nickel							
SPA-34046-BRS	Brass							
SPA-34046-SATBLK	Satin Black							
SPA-34047-CHR	Chrome	Delphi Large LED Flush	18W	4000k	900	50	>80	H:85mm Dia:310mm
SPA-34047-SNIC	Satin Nickel							
SPA-34047-BRS	Brass							
SPA-34047-SATBLK	Satin Black							

IP44

2
SIZES
AVAILABLE



- Glass opal diffuser
- Stylish & practical ceiling flush
- Available in 2 sizes & 4 colour options

DELPHI Flush



Code	Finish	Description	Lamp	Dimensions
SPA-34049-CHR	Chrome	Delphi Small Flush	1 x 28W Max E14 Candle	H:55mm Dia:180mm
SPA-34049-SNIC	Satin Nickel			
SPA-34049-BRS	Brass			
SPA-34049-SATBLK	Satin Black			
SPA-34050-CHR	Chrome	Delphi Large Flush	2 x 28W Max E27 GLS	H:85mm Dia:310mm
SPA-34050-SNIC	Satin Nickel			
SPA-34050-BRS	Brass			
SPA-34050-SATBLK	Satin Black			


TAURI MULTI-FUNCTION LED WALL/CEILING LIGHT

The 5 in 1 multi-function light can be installed recessed, or surface mounted on either the ceiling or wall. It has 3CCT technology switchable between 3000K, 4000K and 6000K. The bracket is easily adjustable to fit different cut sizes. Only 15mm in thickness and available in a standard white finish. Chrome and satin nickel bezels available.



Fast-fit terminal connector

Recessed 3CCT switch



Self-lock inside

15mm super slim thickness

Multi-role bracket


Alu. inside for fast cooling

Built-in IC driver

Hook for anti-drop thread

42
Ceiling

Slideable spring multi-role bracket




600
Lumens



IP44



- Super slim design: 15mm thickness
- Can be recessed, ceiling mounted or wall surface mounted
- Push-fit, drag-detach bracket
- Anti-drop hoop for safety installation
- Fast-fit terminal connector
- 4 colours of magnetic rings available
- 12,000 hours LED lifetime
- Switch between 3000K/4000K/6000K



• Multi-role bracket and CCT switch

TAURI

6W LED Wall/Ceiling 5 in 1 Light



Code	Finish	Description	Lamp	Lumen	Weight	Dimensions
SPA-34008-WHT	White	Tauri LED Light	6W LED	600	0.3kg	H:15mm Dia:139mm
SPA-34010-SNIC	Satin Nickel	Tauri Magnetic Ring (Fits 6W model)	-	-	0.11kg	H:15mm Dia:139mm
SPA-34012-CHR	Chrome					
SPA-35711-SBLK	Satin Black					
SPA-35712-SBRS	Satin Brass					




1200
Lumens



IP44



- Super slim design: 15mm thickness
- Can be recessed, ceiling mounted or wall surface mounted
- Push-fit, drag-detach bracket
- Anti-drop hoop for safety installation
- Fast-fit terminal connector
- 4 colours of magnetic rings available
- 12,000 hours LED lifetime
- Switch between 3000K/4000K/6000K



• Multi-role bracket and CCT switch

TAURI

12W LED Wall/Ceiling 5 in 1 Light




Code	Finish	Description	Lamp	Lumen	Weight	Dimensions
SPA-35709	White	Tauri LED Light	12W LED	1200	0.42kg	H:15mm Dia:164mm
SPA-35713	Satin Nickel	Tauri Magnetic Ring (Fits 12W model)	-	-	0.17kg	H:15mm Dia:164mm
SPA-35716	Chrome					
SPA-35714	Satin Black					
SPA-35715	Satin Brass					

1800
Lumens



IP44



- Super slim design: 15mm thickness
- Can be recessed, ceiling mounted or wall surface mounted
- Push-fit, drag-detach bracket
- Anti-drop hoop for safety installation
- Fast-fit terminal connector
- 4 colours of magnetic rings available
- 12,000 hours LED lifetime
- Switch between 3000K/4000K/6000K

• Multi-role bracket and CCT switch

TAURI

18W LED Wall/Ceiling 5 in 1 Light




Code	Finish	Description	Lamp	Lumen	Weight	Dimensions
SPA-34009-WHT	White	Tauri LED Light	18W LED	1800	0.58kg	H:15mm Dia:217mm
SPA-34011-SNIC	Satin Nickel	Tauri Magnetic Ring (Fits 18W model)	-	-	0.21kg	H:15mm Dia:217mm
SPA-34013-CHR	Chrome					
SPA-35717	Satin Black					
SPA-35718	Satin Brass					

2400
Lumens



IP44



- Super slim design: 15mm thickness
- Can be recessed, ceiling mounted or wall surface mounted
- Push-fit, drag-detach bracket
- Anti-drop hoop for safety installation
- Fast-fit terminal connector
- 4 colours of magnetic rings available
- 12,000 hours LED lifetime
- Switch between 3000K/4000K/6000K

• Multi-role bracket and CCT switch

TAURI

24W LED Wall/Ceiling 5 in 1 Light



Code	Finish	Description	Lamp	Lumen	Weight	Dimensions
SPA-35710	White	Tauri LED Light	24W LED	2400	0.66kg	H:15mm Dia:290mm
SPA-35719	Satin Nickel	Tauri Magnetic Ring (Fits 24W model)	-	-	0.27kg	H:15mm Dia:290mm
SPA-35722	Chrome					
SPA-35720	Satin Black					
SPA-35721	Satin Brass					

1200
Lumens



IP54



- White PC body with opal diffuser
- Ceiling or wall mounted
- Vandal resistant
- Silver bezel available
- 14W LED module (SMD)
- K: 4000
- Lm: 1200
- Lm/W: 85
- Hrs: 25,000

Microwave motion sensor

- 30-150 detection angle
- 6m detection range
- 3-2000 lux adjustable

Emergency

- Maintained emergency function
- 3 hour emergency function

ELA-28093-CHR



HALE
LED Bulkhead



Code	Emergency / Sensor	Description	Power (w)	Colour (k)	Total Flux (lm)	Dimensions
ELA-28101-OPL	-	Hale LED Bulkhead	14W	4000K	1200	Proj:78mm Dia:315mm
ELA-28102-OPL	Sensor					
ELA-28103-OPL	Emergency					
ELA-28104-OPL	Emergency & Sensor					
ELA-28093-CHR	-	Chrome Trim	-	-	-	Dia:315mm



Upto
1200
Lumens



IP54

- White PC body with opal diffuser
- Slimline profile
- Quick release mounting bracket
- Ceiling or wall mounted
- Vandal resistant
- Colour changing technology
- Switch between 3000K/4000K/6000K

Microwave motion sensor

- 18W LED module (SMD)
- Lm: 1530
- Lm/W: 85
- Hrs: 25,000

Microwave motion sensor

- 30-150 detection angle
- 6m detection range
- 3-2000 lux adjustable


Emergency

- 3 hour emergency function



RIGA

LED Bulkhead



Code	Emergency / Sensor	Description	Power (w)	Total Flux (lm)	Dimensions
ELA-34866	-	Riga LED Bulkhead	18W	1530	Proj:50mm Dia:280mm
ELA-34867	Sensor				
ELA-34868	Emergency				
ELA-34869	Emergency & Sensor				

NEW


500 Lumens

IP65

FAST FIT



- Dimmable
- Fire rated
- 30mm Super low profile
- Fast fit terminals
- Available in 7 finishes / 3 pack or single
- 5W LED module (SMD)
- K: 4000
- Lm: 500
- Lm/W: 100
- CRI: 80
- Hrs: 50,000



COMO

IP65 Tiltable Fire-rated Downlight



Fire-rated



IP65 Rated



60° Beam



70mm Cut-out



4000K CW



Class 2



0.15kg


Code	Pack Size	Finish	Power (W)	Total Flux (lm)	Efficiency (lm/W)	Colour (k)	Dimensions
38570/38571-ACOP	Single / 3 Pack	Antique Copper	5W	500	100	4000	Dia:87mm H:30mm Cutout:70mm
38570/38571-BCHR		Black Chrome					
38570/38571-CHR		Chrome					
38570/38571-MWHT		Matt White					
38570/38571-SBLK		Satin Black					
38570/38571-SBRS		Satin Brass					
38570/38571-SNIC		Satin nickel					

NEW

900 Lumens

CCT

FAST FIT




- Dimmable
- Fire rated
- Colour changing technology
- Switch between 3000K/4000K/6000K
- Fast fit terminals
- Available in 7 finishes
- 8W LED module (SMD)
- Lm: 900
- Lm/W: 112.5
- CRI: 80
- Hrs: 50,000



RHOM

IP65 Fixed Fire-rated Downlight



Code	Pack Size	Finish	Power (W)	Total Flux (lm)	Efficiency (lm/W)	Colour (k)	Dimensions
SPA-38572-ACOP	Single	Antique Copper	8W	900	112.5	CCT	Dia:87mm H:65mm Cutout:70mm
SPA-38572-BCHR		Black Chrome					
SPA-38572-CHR		Chrome					
SPA-38572-MWHT		Matt White					
SPA-38572-SBLK		Satin Black					
SPA-38572-SBRS		Satin Brass					
SPA-38572-SNIC		Satin nickel					

NEW
COLOUR
OPTION

IP65



Tilted




Fixed



- Die-cast aluminium with glass lens
- Adjustable tilt, max 40°
- Available in 6 finishes

CALI


Tiltable Downlight



Code	Description	Finish	Lamp	Dimensions
SPA-30841-BRCOP	Cali Tiltable Downlight	Brushed Copper NEW	1 x 7W max LED GU10	Dia:92mm H:115mm Cutout:78mm
SPA-30841-MWHT		Matt White		
SPA-30841-MBLK		Matt Black		
SPA-30842-CHR		Chrome		
SPA-30842-SBRS		Satin Brass		
SPA-30842-SCHR		Satin Chrome		

NEW

IP65



Tilted







Fixed



- Die-cast aluminium with glass lens
- Adjustable tilt, max 40°
- Available in 6 finishes

CALI

Square Tiltable Downlight

Code	Description	Finish	Lamp	Dimensions
SPA-38577-BRCOP	Cali Square Tiltable Downlight	Brushed Copper	1 x 7W max LED GU10	L:82mm W:82mm H:115mm Cutout:78mm
SPA-35724-MWHT		Matt White		
SPA-35725-MBLK		Matt Black		
SPA-35727-CHR		Chrome		
SPA-35723-SBRS		Satin Brass		
SPA-35726-SCHR		Satin Chrome		

**FAST
FIT**



- 30, 60 and 90 minutes protection
- Suitable for homes with low ceilings
- Available in 6 finishes

• Fast-fit connector box

YATE Fixed Fire Rated Downlight



Code	Finish	IP Rating	Lamp	Cutout	Dimensions
ELA-27465-WHT	White	IP20	1 x 7W max LED GU10	Ø72mm	Dia:80mm Proj:15mm H:135mm
ELA-27465-CHR	Chrome				
ELA-27465-BCHR	Black Chrome				
ELA-27465-SCHR	Satin Chrome				
ELA-27465-MBLK	Matt Black				
ELA-27465-SBRS	Satin Brass				



- 30, 60 and 90 minutes protection
- Suitable for homes with low ceilings
- Available in 6 finishes

• Fast-fit connector box

YATE

Adjustable Fire Rated Downlight



Code	Finish	IP Rating	Lamp	Cutout	Dimensions
ELA-27466-WHT	White	IP20	1 x 7W max LED GU10	Ø85mm	Dia:93mm Proj:120mm H:135mm
ELA-27466-CHR	Chrome				
ELA-27466-BCHR	Black Chrome				
ELA-27466-SCHR	Satin Chrome				
ELA-27466-MBLK	Matt Black				
ELA-27466-SBRS	Satin Brass				

FAST
FIT

IP65




- 30, 60 and 90 minutes protection
- Suitable for homes with low ceilings
- Available in 6 finishes

• Fast-fit connector box

YATE

Fixed IP65 Fire Rated Downlight



Code	Finish	IP Rating	Lamp	Cutout	Dimensions
ELA-27467-WHT	White	IP65	1 x 7W max LED GU10	Ø72mm	Dia:80mm Proj:15mm H:125mm
ELA-27467-CHR	Chrome				
ELA-27467-BCHR	Black Chrome				
ELA-27467-SCHR	Satin Chrome				
ELA-27467-MBLK	Matt Black				
ELA-27467-SBRS	Satin Brass				

IP44



57
Wall

- Chrome finish
- Pull switch

AQUARIUS

Wall Light

IP44 Rated | Class 1 | 0.55kg

Code	Description	Lamp	Dimensions
SPA-PR17146-CHR	Aquarius Wall Light	1 x 3W max LED G9	Proj:180mm W:110mm H:220mm

IP44



58
Wall

- Chrome finish
- Pull switch

ARIES

2 Light Wall Light

IP44 Rated | Class 1 | 0.8kg

Code	Description	Lamp	Dimensions
SPA-PR12744-CHR	Aries 2 Light Wall Light	2 x 3W max LED G9	Proj:115mm W:360mm H:60mm

IP44



59
Wall

- Available in chrome & satin brass
- Pull switch



CORVUS

Wall Light



Code	Finish	Description	Lamp	Dimensions
SPA-6888.014-CHR	Chrome	Corvus Wall Light	2 x 3W max LED G9	W:205mm H:105mm Proj:155mm
SPA-6888.014-SATBRS	Satin Brass			

395
Lumens

IP44



- Available in 4 finishes
- Pull Switch
- 8W LED module (SMD)
- K: 3000
- Lm: 395
- Lm/W: 70
- CRI: 80
- Hrs: 20,000



CHAI

Picture/Mirror Light



IP44
Rated



3000K
WW



Class 1



0.5kg

Code	Finish	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	Dimensions
SPA-30993-CHR	Chrome	Chai Bathroom Picture/Mirror LED Light	8W	3000k	395	70	H:80mm W:410mm Proj:160mm
SPA-30993-SNIC	Satin Nickel						
SPA-30993-SATBRS	Satin Brass						
SPA-30993-MBLK	Matt Black						

IP44



61
Wall



- Available in 3 finishes
- Pull switch

ARA


Hollywood 5 Light Bar Wall Light



Code	Finish	Description	Lamp	Dimensions
SPA-PR13145-CHR	Chrome	Ara 5 Light Wall Light	5 x 3W max LED G9	W:680mm H:80mm Proj:110mm
SPA-PR13145-MBLK	Matt Black			
SPA-PR13145-SATBRS	Satin Brass			

1100
Lumens

IP44



- Integrated shaver socket
- Bathroom zone 2
- Polycarbonate construction
- 12W LED module (SMD)
- K: 4000
- Lm: 1100
- Lm/W: 91
- CRI: 80
- Hrs: 20,000



BARI

Shaver Light




Code	Description	Lamp	Lumen	Dimensions
SPA-36920-CHR	Bari Shaver Light	12W LED	1100	H:50mm W:490mm Proj:61mm

356
Lumens

IP44



- Mirrored glass
- Bathroom Zone 2
- Rocker ON/OFF switch
- Integrated shaver socket
- Can be mounted landscape or portrait
- 12W LED module (SMD)
- K: 5000
- Lm: 356
- Lm/W: 29



ECTI

Illuminated Bathroom Mirror



Shaver
Socket



IP44
Rated



5000K
DW



Class 1



6.65kg

Code	Description	Lamp	Dimensions
SPA-34035	Ecti Illuminated Bathroom Mirror	12W LED	H:700mm W:500mm Proj:56mm

763
Lumens

IP44



- Mirrored glass
- Bathroom Zone 2
- Touch switch
- Can be mounted landscape or portrait
- 16W LED module (SMD)
- K: 5000
- Lm: 763
- Lm/W: 47

FLEC

Illuminated Bathroom Mirror



Demist
Pad



IP44
Rated



5000K
DW



Class 1



8.95kg

Code

Description

Lamp

Dimensions

SPA-34036

Flec Illuminated Bathroom Mirror

16W LED


H:800mm W:600mm Proj:33mm

504
Lumens

IP44



- Mirrored glass
- Bathroom Zone 2
- Touch switch
- Can be mounted landscape or portrait
- 18W LED module (SMD)
- K: 5000
- Lm: 504
- Lm/W: 18



REF



Illuminated Bathroom Mirror

 Demist Pad	 IP44 Rated	 5000K DW	 Class 1	 6.3kg
---	---	---	--	--

Code	Description	Lamp	Dimensions
SPA-34037	Ref Illuminated Bathroom Mirror	18W LED	H:700mm W:500mm Proj:46mm

1337
Lumens

IP44



- Mirrored glass
- Bathroom Zone 2
- Touch switch
- Can be mounted landscape or portrait
- 22W LED module (SMD)
- K: 5000
- Lm: 1337
- Lm/W: 60

NOR

Illuminated Bathroom Mirror



Demist
Pad



IP44
Rated



5000K
DW



Class 1



6.7kg


Code	Description	Lamp	Dimensions
SPA-34038	Nor Illuminated Bathroom Mirror	22W LED	H:800mm W:600mm Proj:46mm

296
Lumens

IP44



- Mirrored glass
- Bathroom Zone 2
- Rocker ON/OFF switch
- Can be mounted landscape or portrait
- 8W LED module (SMD)
- K: 5000
- Lm: 296
- Lm/W: 60



ION

Illuminated Bathroom Mirror



IP44
Rated



5000K
DW



Class 1



3.7kg

Code	Description	Lamp	Dimensions
SPA-34039	Ion Illuminated Bathroom Mirror	8W LED	H:500mm W:400mm Proj:46mm



1690
Lumens

IP44



- Mirrored glass
- Bathroom Zone 2
- Touch sensor switch
- 12W LED module (SMD)
- K: 5000
- Lm: 1690
- Lm/W: 140

NYX

Illuminated Bathroom Mirror



Touch
Switch



IP44
Rated



5000K
DW



Class 1



6.9kg

Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/W)	CRI	Dimensions
SPA-35706	Nyx Illuminated Mirror	12W	5000k	1690	140	>80	Dia:600mm Proj:35mm



2190
Lumens

IP44



- Soft close hinged single door
- Door mirrored on both sides
- Adjustable height tempered glass shelves
- Touch sensor ON/OFF switch
- Demist pad & shaver socket
- 34W LED module (SMD)
- K: 5000
- Lm: 2190
- Lm/W: 64



ARTE

Illuminated Bathroom Mirror Cabinet




Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/w)	CRI	Dimensions
SPA-35707	Arte Illuminated Single Door Mirrored Cabinet	34W	5000k	2190	64	>80	W:500mm H:700mm Proj:130mm



2190
Lumens

IP44



- Soft close hinged double doors
- Door mirrored on both sides
- Adjustable height tempered glass shelves
- Touch sensor ON/OFF switch
- Demist pad & shaver socket
- 34W LED module (SMD)
- K: 5000
- Lm: 2190
- Lm/W: 64



HYM

Illuminated Bathroom Mirror Cabinet



Code	Description	Power (w)	Colour (k)	Total Flux (lm)	Efficiency (lm/w)	CRI	Dimensions
SPA-35708	Hym Illuminated 2 Door Mirrored Cabinet	34W	5000k	2500	73.5	>80	W:600mm H:800mm Proj:130mm

NEW

IPX4

74

Smart Toilets



- Heated seat with five adjustable temperature settings
- Front and rear wash modes provide warm water for cleansing
- Adjustable water temperature and water pressure
- Choose oscillating or pulsating spray
- Warm-air drying system with adjustable air speed and temperature
- Automatic deodorization with carbon filter for odour control
- Soft-close seat and lid to prevent from slamming
- Automatic opening and closing seat cover
- Integral LED night light
- Ceramic toilet bowl

WALL MOUNT Smart Toilet



Code	Description	Finish	Material	Dimensions
SPA-37153	Wall Mount Smart Toilet	White	Ceramic	L::598mm x W:380mm x H:332mm

NEW

IPX4



- Heated seat with five adjustable temperature settings
- Front and rear wash modes provide warm water for cleansing
- Adjustable water temperature and water pressure
- Choose oscillating or pulsating spray
- Warm-air drying system with adjustable air speed and temperature
- Automatic deodorization with carbon filter for odour control
- Soft-close seat and lid to prevent from slamming
- Automatic Opening and closing seat cover
- Integral LED night light
- Ceramic toilet bowl

FLOOR STANDING

Smart Toilet



Code	Description	Finish	Material	Dimensions
SPA-37152	Floor Standing Smart Toilet	White	Ceramic	L:670mm x W:418mm x H:480mm



IP67



Remote control operated



Soft-close lid

Warm air dryer

Auto-deodorisation

Heated seat

Warm water cleansing

Self-cleaning nozzle

- Heated seat with five adjustable temperature settings
- Wireless control panel. Remote controlled and easy to operate
- UV LED lighting illuminates the bowl to serve as a night-light
- Front and rear wash modes provide warm water for cleansing
- Adjustable water temperature and water pressure
- Choose oscillating or pulsating spray
- Warm-air drying system with adjustable air speed and temperature
- Automatic deodorisation with carbon filter for odour control
- Soft-close seat and lid to prevent from slamming
- Easy installation



Includes fused spur and fixing kit

77
New Range

MITO

Electric Bidet Toilet Seat



Code	Description	Finish	Material	Dimensions
SPA-34864	Electric Bidet Toilet Seat	White	Plastic	H:190mm W:470mm L:520mm



IP67



- Heated seat with five adjustable temperature settings
- Front and rear wash modes provide warm water for cleansing
- Adjustable water temperature and water pressure
- Choose oscillating or pulsating spray
- Warm-air drying system with adjustable air speed and temperature
- Automatic deodorisation with carbon filter for odour control
- Soft-close seat and lid to prevent from slamming
- Easy installation



• Includes fused spur and fixing kit

MITO

Electric Bidet Toilet Seat



Code	Description	Finish	Material	Dimensions
SPA-34865	Electric Bidet Toilet Seat	White	Plastic	H:180mm W:435mm L:485mm



Spa^{PRO}

PREMIUM

Spa PRO beautifully designed, premium glass decorative lighting that will bring a touch of glamour to any home.

IP44



- Chrome finish
- Clear crystal shades

BRESNA

Small 3 Light Flush



Code	Description	Lamp	Dimensions
SP-25204-CHR	Bresna 3 Light Flush	3 x 3W max LED G9	H:350mm Dia:350mm

IP44



- Chrome finish
- Clear crystal shades

BRESNA

Small 3 Light Flush



Code	Description	Lamp	Dimensions
SP-31450-CHR	Bresna Small 3 Light Flush	3 x 3W max LED G9	H:350mm Dia:280mm

IP44



- Chrome finish
- Clear crystal shades

BRESNA

6 Light Flush




Code	Description	Lamp	Dimensions
SP-25201-CHR	Bresna 6 Light Flush	6 x 3W max LED G9	H:398mm Dia:500mm

IP44



- Chrome finish
- Clear crystal shades

BRESNA

6 Light Pendant




Code	Description	Lamp	Dimensions
SP-25202-CHR	Bresna 6 Light Pendant	6 x 3W max LED G9	H:1200mm Dia:500mm

IP44



- Chrome finish
- Clear crystal shades

BRESNA

Wall Light



Code	Description	Lamp	Dimensions
SP-25203-CHR	Bresna Wall Light	2 x 3W max LED G9	Proj:175mm W:300mm H:200mm

IP44



- Chrome finish
- Clear crystal shades

ANNALEE

Wall Light



Code	Description	Lamp	Dimensions
SP-25253-CHR	Annalee Wall Light	2 x 3W max LED G9	Proj:156mm W:297mm H:420mm

IP44



- Chrome finish
- Clear crystal shades

ANNALEE

3 Light Chandelier



Code	Description	Lamp	Dimensions
SP-31449-CHR	Annalee 3 Light Chandelier	3 x 3W max LED G9	H:1520mm Dia:450mm

IP44



- Chrome finish
- Clear crystal shades

ANNALEE

Small 5 Light Chandelier



Code	Description	Lamp	Dimensions
SP-25256-CHR	Annalee 5 Light Chandelier	5 x 3W max LED G9	H:1000mm Dia:385mm

IP44



- Chrome finish
- Clear crystal shades

ANNALEE

5 Light Chandelier



Code	Description	Lamp	Dimensions
SP-25254-CHR	Annalee 5 Light Chandelier	5 x 3W max LED G9	H:1580mm Dia:500mm

IP44



- Chrome finish
- Clear crystal shades

ANNALEE

8 Light Chandelier



Code	Description	Lamp	Dimensions
SP-25255-CHR	Annalee 8 Light Chandelier	8 x 3W max LED G9	H:1650mm Dia:400mm



IP44



- Chrome finish
- Clear crystal shades

NORE

Small Encased Flush



Code	Description	Lamp	Dimensions
SP-25211-CHR	Nore Small Encased Flush	5 x 3W max LED G9	H:300mm Dia:400mm

INFORMATION

LIGHTING TERMS

Bathroom Zone

Suitability for a product to be installed near or in water.

CCT

Colour Changing Technology.

Colour Switchable

Colour temperature can be switched between 3000K to 4000K or 6000K.

Cool White (CW) 4000K

Light with a CCT kelvin temperature of 4000K.

Daylight White (DW) 6000K

Light with a CCT kelvin temperature of 6000K.

Downlight

A luminaire designed to be installed in a ceiling, with the light source pointed vertically downwards.

Floodlight

A luminaire featuring a wide beam angle, designed to provide illumination over a wide area.

IK Rating

Indicates the protection against mechanical impact. Rated from IK00 to IK10.

IP Rating

Ingress Protection Rating.

Kelvin (K)

Kelvin is the scientific unit for measuring CCT.

LED (Light Emitting Diode)

Emits light through the conversion of electrical energy.

Lifetime

The definition of LED luminaire lifetime is the period in hours after which the luminaire no longer delivers the correct amount of light, either insufficient light is produced or none at all. This may be a combination of many factors not limited to just the LED performance.

Lumens (lm)

The quantity of light emitted from a light source that is visible. The higher the lumens, the brighter the light.

LUX

A measure of the intensity of light, defined as 1lm /m².

Microwave Sensor

An active intrusion sensor that detects the movement of a person or object through a pattern of microwave energy

Photocell

Sometimes known as a dusk to dawn sensor. The sensor reacts to the ambient light and will turn the fitting on when a pre-set light level is reached

PIR Sensor

Passive Infrared Device, used to activate lighting when a person enters a room or area.

Power Supply / Driver

Power source for the LED luminaire.

RGB

Red, Green, Blue. Used to describe colour changing products that can be used to dynamically add colour to any environment.

RGBW

Stands for Red, Green, Blue, White. Used to describe colour changing products that can be used to dynamically add colour to any environment. Can also be run on white when natural lighting is required.

Spotlight

A light source featuring a narrow beam angle, designed to allow highlighting or illumination of specific features in an area.

Task Lighting

Lighting specifically designed to provide functional illumination of an environment.

Warm White (WW) 3000K

Light with a CCT kelvin temperature of 3000K.

Watt (W)

The unit of electrical power stating the amount of electricity consumed by the product.

Work Lighting

Lighting specifically designed to provide functional illumination of a work site environment.

COLOUR TEMPERATURE

GUIDE

LEDs make it possible to have a choice of white colours or 'tones'. This allows easy customisation of an area to bring out the best in the materials and design of a room. With standard white LED lighting, these tones range from warm-yellow, to daylight-blue light, with options in between. The graphic below is a reference that starts at a warm yellow colour on the left and fades into a blue colour on the right.

Colour temperature ratings describe the tones of white light available. Colour temperature options range from 2000-3000K for Warm White lighting, 3100-4500 for Cool White lighting and 4600-6500 for Daylight White lighting. It can be a tricky decision to know what is best for your installation, but our skilled technical sales team are on hand to guide you through choosing the perfect white tone for your room.



Colour temperature	2000-3000K	3100-4500K	4600-6500K
Light appearance	Warm White	Cool White	Daylight White
Best for	Warmer whites are generally preferred for creating a more relaxed environment in dining, living or reception areas	Cool white is a good choice for retail and office environments where a simulated natural, outdoor light is preferred. Use in contemporary kitchens and bathroom to complement décor	Perfect for industrial, security, garages and task lighting where the most natural lighting is required

IP RATING

INGRESS PROTECTION

Ingress protection rating (IP); this relates to the degree of protection the light provides against solid objects and water ingress. IP ratings are relevant to anywhere that moisture is prevalent, such as bathrooms, utility rooms and outdoor environments. Written as IPXX, the first X denotes the level of protection offered from dust; the second X denotes the level of protection offered from moisture. The higher the numbers are, the better the protection will be.

SOLID OBJECTS		LIQUIDS	
0	No special protection	0	No special protection
1	Protection from a large part of the body such as a hand (but no protection from deliberate access); from solid objects greater than 50mm in diameter	1	Protected against dripping water; vertically falling drops
2	Protection against fingers or other objects not greater than 80mm in length and 12mm in diameter	2	Protected against vertical falling drops of water with enclosure tilted up to 15 degrees from the vertical; limited ingress permitted
3	Protection from entry by tools, wires etc, with a diameter of 2.5mm or more	3	Protected against sprays of water up to 60 degrees from the vertical; limited ingress permitted
4	Protection against solid bodies larger than 1mm	4	Protection from splashing water from any direction
5	Protection against dust that may harm equipment	5	Protection against low pressure water jets (all directions)
6	Totally dust-tight; no ingress of dust	6	Protection against high pressure water jets and waves
		7	Protection against temporary immersion
		8	Watertight against the effects of immersion in water under pressure for long periods

Ingress protection ----- **IP65**

BATHROOM ZONING

WHAT IS BATHROOM ZONING?

All bathroom lighting installations must comply to the guidelines set out in Amendment 1 of the 17th edition of the IEE Wiring Regulations (BS7671). The bathroom is divided into zones, with prescribed minimum IP ratings for the light fittings in each zone. To illustrate IP zoning regulations, the bathroom area is divided up into areas or 'ZONES'. Light fittings are then assigned an 'IP rating' which indicates how much protection they provide against ingress of water and other particles. Each zone has a minimum IP requirement that must be met if a fitting is to be installed in this area.

Zone 0 ≥ IPX7

Inside bath or shower. Only 12V AC rms or 30V ripple-free DC SELV fittings with a minimum rating of IPX7 (protected against immersion in water). Transformers must be sited outside Zones 0,1,2.

Zone 2 ≥ IPX4


Covers an area 0.6 metres wide immediately next to, and all around Zone 1. The 60cm area around washbasins should also be treated as zone 2. The minimum rating is IPX4. If there is a likelihood of water jets being used for cleaning purposes in Zone 2, a minimum of IPX5 is required.

Zone 1 ≥ IPX5

The area above the bath or shower up to a height of 2.25 metres. Fittings must be rated at IPX5 or higher (protected from jets of water).

Outside Zones 0, 1 & 2

Covers any area outside Zones 0, 1 and 2. There is no IP requirement in this zone. Bathrooms are allowed to contain a socket outlet, this must be located 3 metres outside Zone 1. Lighting circuits and any socket-outlet circuit in a room containing a bath and/or shower must be provided with 30mA RCD protection.





FORUM
LIGHTING SOLUTIONS

Forum Lighting Solutions

Corse Mill, Corse Street,
Oldham, OL9 9RJ, UK

t +44 (0) 161 359 4949
f +44 (0) 161 628 2831
e info@forumlightingsolutions.com
w forumlightingsolutions.com



[forumlightingsolutions](http://forumlightingsolutions.com)