# BATHROOM ILLUMINATED MIRRORS, CABINETS & LIGHTING

<u>20</u> 22

MAKING LIGHTING SIMPLE









# BEAUTIFULLY SIMPLE LIGHTING SOLUTIONS

Since 2007 we've been creating lighting in harmony with modern life. Specialising in kitchens, bedrooms and bathrooms, quality and innovation has always been at the heart of what we do, from lighting that stands the test of time to technology that's exclusive to us.

At Sensio we pride ourselves on providing premium products matched with a flawless execution and service. All of our lighting solutions are designed and developed right here in the UK, where we can constantly strive to create new concepts to brighten people's lives. Always pushing to pioneer new technology that seamlessly illuminates customers' homes, our passion is making lighting both intelligently simple and beautiful.

We hope to inspire your space with the power of lighting and thank you for partnering with us at Sensio.

Michael Linsky Managing Director



## Our Promises to You



**Making Lighting Simple** 

Making Lighting Simple - one of the defining principles by which we live and breathe. Everything we do, whether it is in the design of our products, our customer service or how we communicate, we strive to always have Making Lighting Simple at the core. If it's not simple for you, our customer, we find another way until it is.



**Market Leading Innovation** 

We place our focus on doing things a little differently. We are dedicated to designing and developing new and innovative lighting solutions that meet various design requirements. Our high quality range of products offer the very latest LED technology and features to work in harmony with customer's bathrooms. With our own in-house Product Development Team, we have the ability to not only work closely with customers to design products we know they need, but also innovate and lead the way in creating first to market, patented products.



We're here to offer our exemplary service levels to every single customer. Whether that's a quick resolution to your email query, ensuring your orders get to you on time and in full or proactive communication and exceptional account management, we're committed to offering extraordinary service at every point.









2

# Pioneering Design



Designing in-house, we develop our products and packaging with the future in mind. Thinking about efficiency and waste reduction whilst creating high quality innovation.

#### We don't just follow the trends - we help set them

Our expertise and industry knowledge is an integral part of our business with our in-house product development and design team based here in the UK. To us. every detail makes the difference and we're not satisfied until each product is finished to the highest standard.

A number of our LED mirrors, cabinets and lights carry Registered Design Rights. This means as we strive to continually bring innovative and exciting products to the market, our valued partners can be assured of having access to products they won't find elsewhere.

Our extensive product range is also constantly reviewed, enhanced and improved to ensure we stay at the forefront of our industry.



#### Superior quality, guaranteed durability

We pride ourselves on using only the best components and materials to guarantee long-life performance, high light output and enhanced durability. All of our products go through rigorous third-party testing and we're proud to be ISO 9001 accredited.

Our products have won awards for their design excellence time and time again and we're so confident that each product will exceed your expectations that we offer a 5-year guarantee on all of our bathroom fittings.

#### Inspiring service & solutions

We're always researching the latest trends, technology and fashion to deliver solutions that stand the test of time. We delve deep into the market to shine a light on how our products can improve home environments and the way people live. So whenever you choose a Sensio product, you can be assured it's been thoughtfully created for the future.



We're working towards a more sustainable future and are committing resources to actively reduce our footprint.

We care about our impact on the world and have set ourselves goals over the next 3, 5 and 10 years to meet high standards throughout our processes, operations and products to limit or mitigate our impact on the environment. These include:



We aim to reduce plastics from our product packaging as much as possible, including recyclable plastics, in favour of paper and cardboard



All products will be created with Long Design Life in mind, ensuring robust, long serving products including use of high quality LEDs for maximum life span



Careful selection of our production partners evaluated in accordance with our guidelines and carry ISO 14001



Improve the robustness of our supply chain to mitigate air carriage, maximise sea freight effeciences and increase local production to help achieve our target of Net Zero

# Sensio Academy

We have always been dedicated to delivering product training and the launch of our new Sensio Academy extends on this commitment.





Kick complexity to the curb with our mission of Making Lighting Simple

The Sensio Academy aims to equip sales and design teams with the knowledge to confidently specify lighting into every single kitchen, bedroom and bathroom project.

The Academy compromises:

- A step-by-step online e-learning platform to provide the fundamental knowledge about lighting and how to install and specify
- Live, online tailored webinars from our expert in-house training team to learn the technical aspects and benefits of the product range
- Access to a library of product videos demonstrating key features, installation and application of lighting
- MiCK our bespoke Mobile Illumination Centre for KBB in which we deliver a tailored hands-on experience in our specially equipped vehicle



Train your designers to add value to every project with the installation of lighting

Access a wealth of video content, advice, tips and installation guidance





2022 sees the arrival of MiCK - our Mobile Illumination
Centre for KBB

- Take the complexity out of products with hands on training, including our latest innovations
- Follow up information from MiCK with design tips and ideas to keep you up to date and inspired

# CONTENTS

- **Beautifully Simple Lighting Solutions** Pioneering Design Sensio Academy The Power of Lighting Creating a lighting plan 12 The Sensio Series 14 Bathroom zones & IP rating guide 16 Key features - Custom colour 18 Key features - Steam free & easy control 20 **Installation Guidance New Energy Ratings Explained Product Feature Guide** LED Illuminated Mirrors
- **Illuminated Mirror Features** Ester Eden 30 58 **NEW** 32 Isla Plus Serenity Gina 62 Nova 34 Dawn 36 Aspect Libra NEW 38 Uno 66 Kai Plus NEW 40 68 lvy Skye 42 70 Como 44 Nyla 72 Reagan Harbour 46 Sienna 74 48 Bronte 76 Mistral 50 Aria 78 Destiny 52 Luna Glimmer Pro 54 Shannon 82 Avalon Grace Element 56

#### Non-illuminated Mirrors

- 86 Portland
- Rockford

#### 88 LED Illuminated Mirror Cabinets

#### 90 Illuminated Mirror Cabinet Features

- NEW 92 Finlay Plus
  - 94 Harlow
  - 96 Sonnet
  - 98 Belle
  - 100 Eclipse102 Aspen
  - 104 Ainsley

#### 108 LED Feature Lighting

- 110 Radiant IP65
- **112** Polar IP65
- **114** Fino
- **116** Beam
- 118 Linia

#### 120 LED Ceiling & Shower Lighting

- 122 TrioTone® IP65 Fire Rated Downlight
- 124 TrioTone® Cube & Circa IP65
- **126** Astrid Single
- 126 Astrid Cluster
- **127** Cora
- 127 Hudson

#### 128 LED Over Mirror & Wall Lighting

- 130 Phoenix
- **131** Erin
- 132 Neptune 2

#### 134 LED Pendant Lighting

- 136 Bellatrix
- 138 Solinas
- 140 Zirconia

#### 142 Accessories

- 144 Magnum
- 145 Shaver Socket

- 146 Index
- 148 FAQ
- 149 Get In Touch



Lighting can completely transform your bathroom beyond the practical benefits. It creates ambience, a brighter, more spacious and multi-dimensional feel and highlights design features.


Considering a lighting scheme a the initial design stages will influence the overall atmosphere of the bathroom space.



# CREATING A LIGHTING PLAN







# THE SENSIO SERIES

The Sensio Series categorises our product range into three groups to simplify the decision-making process when it comes to selecting mirrors and cabinets.

Whether the decision is based on price or features, the Sensio Series defines the range by:



**CHOICE** 

**TECHNOLOGY** 

The full Sensio product range benefit from high-quality features providing peace of mind that we design and innovate with quality firmly in focus:



Fantastic longevity providing the equivalent life to having the lights switched on continuously for 5 hours a day, for 27 years!

Brightness and consistency of the



Each product benefits from a superb lumen output, ensuring bright illumination and maximum light performance.



lights is of exceptional standard and provides a true reflection High Colour Accuracy of the colour temperature.



Each light has been designed and manufactured to guarantee superb performance, longevity and quality and benefits from Sensio's 5 year quarantee.

# SERIES



#### Simplicity

Series 1 offers a range of simple, high quality illuminated mirrors and cabinets with no compromise on quality or efficiency all whilst benefitting from excellent pricing.

#### **Series 1 Products Feature:**

- Single colour, cool white temperature LED illumination
- Easy to use power on/off controls either pull cord, rocker switch or infra-red, hand swipe sensors
- Plus, some mirrors benefit from additional features including demister pads and shaver sockets





#### Choice

choose the ideal LED colour of single and double door LED illuminated cabinets.

#### **Series 3 Includes:**

- Single and double door cool white illuminated

# SERIE5



#### Technology

Series 5 brings advance technology and control options to the broad array of styles, sizes and finishes of mirrors and cabinets in this range.

#### **Series 5 Products Incorporate:**

- CCT or Correlated Colour Temperature LEDs to the mirror range – allowing the colour temperature to match individual requirements. The LEDs in the mirrors can be set to any colour temperature along the white spectrum range between warm white, through to natural and cool white light to not only match the style and finish of the bathroom but marry the lighting to the mood, time of day or function being carried out in the bathroom. Truly setting lighting in sync with our own lives
- Advanced features including Bluetooth audio technology and gi charging in addition to the standard range of features found in Series 1 and Series 3

14 CREATING A LIGHTING PLAN 15

IP RATINGS BATHROOM ZONES



Using electrical equipment in bathrooms or wet rooms requires attention to safety. The IEE Wiring Regulations (18th Edition) have identified particular zones within the bathroom to indicate what type of electrical equipment can be installed.



#### ZONE 0

Inside the bath, shower or wet room zone.

This area requires a minimum rating of IP67 and must be low voltage (12V max).



#### **ZONE 1**

Up to 2250mm above bath, shower or wet room basin.

A minimum rating of IP44. For 240V fittings, a 30ma RCD must also be used to protect the circuit.



#### ZONE 2

600mm outside a bath, shower, sink or water outlet.

A rating of at least IP44 is required.



#### **OUTSIDE ZONES**

Anywhere outside zones 0, 1 and 2, where water jets are not used for cleaning purposes, the general rules of BS7671 apply.

The IP (Ingress Protection) rating is a two digit code given to a piece of electrical apparatus that indicates the degree of protection its enclosure provides from dust, water and impact.

#### **PROTECTION AGAINST SOLID OBJECTS**



No protection



Protected against a solid object greater than 50mm (eg. a hand)





Protected against solid objects over 12mm (eg. fingers)





Protected against solid objects over 2.5mm (eg. tools)





Protected against solid objects over 1mm (eg. wire)





Limited ingress of dust permitted with no harmful deposit





Completely protected against ingress of dust



2<sup>nd</sup> number

#### **PROTECTION AGAINST WATER**






No protection





Protected against vertical falling drops of water (eg. condensation)







Protected against sprays up to 60 degrees from the vertical





Protected against sprays from any angle (eg. splashes of water)





Protected against light water jets from any direction





Pretected against powerful water jets





Protected against water immersion (up to 30mins between 15cm and 1m)





Protected against long periods of water immersion under pressure

## KEY FEATURES - CUSTOM COLOUR


Sensio's range of illuminated LED mirrors and cabinets are packed full of features. These are detailed on each product page. As standard, the full range is IP44 rated for safe installation in the bathroom. Many also feature an integrated demister pad, simple control and colour temperature changing illumination - the benefits of which are all outlined in the following section.



A Sensio trademarked concept first introduced in 2017, TrioTone® provides a 3-in-1 lighting choice in one light fitting or illuminated mirror. These products not only allow the option to select or change the colour temperature without having to replace the whole fitting, but also within mirrors featuring this technology, allow the owner to adjust the light temperature to suit the time of day, ambience and their personal preference.

Sensio TrioTone® lights and mirrors can be set to either warm white, natural white or cool white and can be found via the TrioTone® icon throughout this brochure.


#### Cool White (5000K)



#### Natural White (4000K)



#### Warm White (3000K)



Cool white LEDS combine well with modern, bold and minimal themes and are great for task lighting and creating a bright and revitalising environment.

Natural white sits between warm and cool white and recreates the effect of natural daylight. Natural white's versatility means it can complement a range of bathroom styles.

Warm white LEDS have a yellow tone and complement bathrooms featuring wooden surfaces and flooring. They also create a warm, relaxing ambiance perfect for relaxing.



CCT

"Correlated colour temperature" - set any tone, any time


Correlated Colour Temperature (CCT) is a concept that provides seamless transition through the full spectrum of temperatures ranging from warm, through to natural and then to cool white light. This allows you to mimic outside lighting conditions with precision - a feature that has been scientifically proven to have a positive impact on our health.

Different colour temperatures in a room have a broad range of effects and functions. For example, cool light settings offset dark tones used throughout the rest of the bathroom to create a balanced ambience. Warmer lights provide relaxing hues for a calming presence, while natural light is perfect for performing tasks, thanks to its neutral palette.

#### 6000K Cool







The lighting of products with CCT capability can be adjusted on a continuous scale from cool to natural to warm white and every tone in between.

18 CUSTOM COLOUR 19

# STEAM FREE & EASY CONTROL




# DEMISTER PAD

#### Steam free technology

Integrated demister pads are an ultra-thin layer, mounted on the back of the mirror glass. When activated, they gently warm the adjacent portion of the mirror to eliminate condensation formation and clear the glass.

- Removes the need for wiping down
- Less condensation and damp
- Efficient lifestyle routine for people on the go - clear for shaving and getting ready
- Mirror stays looking good with less watermarks



Condensation eliminated from the glass surface keeping it clear





Sensor technology is all about simple control and elegant design. A large selection of our mirrors and cabinets feature hands-free infra-red sensor or touch sensor control.



#### Infra-red Sensors

Infra-red sensors are simply activated by a swipe of the hand. Advanced features, such as dimming and colour control, where available are operated by hovering the hand near the sensor.



- Naturally increased hygiene in your daily routine through minimal contact and contamination
- Safety near wet zones with no electrical contact risk
- Discreet control allowing seamless appearance in design
- Less cleaning and maintenance - no fingerprints or smears



## **Touch Sensors**

Touch sensors are incorporated seamlessly into the glass surface and illuminate when active. Advanced lighting features may be controlled either by additional sensors or simply via one multi-touch sensor.



- Seamless design
- Simple control
- Multi-functional (on mirrors and cabinets with additional lighting features)
- Minimal contact

20 KEY FEATURES 21

# INSTALLATION GUIDANCE

The Sensio range of LED illuminated mirrors and cabinets all feature one of three methods for installation.



Please refer to the individual installation guide supplied for each product for more detailed and specific guidance




#### 1. Back Box Mounted Mirrors

Use the pre-drilled holes in the back box to measure and align where the mirror is to be installed.

The back box is wall mounted, housing the components and battery compartments.

The mirror simply slots onto the back box and is secured in place with screws, provided.






#### 2. Key-hole Mounted Mirrors

Key-hole mounted mirrors simply hang on screws.

Secure screws into the wall using rawl plugs. Leave approximately 3mm protruding on which to seat the keyholes.






#### 3. Bracket Mounted Cabinets

Cabinets are mains powered and supplied with the connecting cable exiting either at the top or bottom on the rear.

The cabinets are supplied with all the fixings required to hang.


Secure the included mounting brackets to the wall using the screws and rawl plugs.


The cabinet is simply seated in place on the brackets via pre-installed hooks on the reverse of the unit.





Some mirrors and cabinets within the Sensio range are provided with a connection cable pre-installed. This is indicated on each product page with this icon denoting the length of the pre-connected cable supplied.





INSTALLATION GUIDANCE 23

## ENERGY RATINGS EXPLAINED

With the introduction of new EU energy labels on electrical products, here's what the new labels mean for your Sensio lighting products.

## PRODUCT FEATURES

All our products have their own unique features. To help compare and select products quickly and easily, you will find icons on each product page.

#### Why have a new EU energy label?

Due to the popularity of light emitting diodes, lighting has become very efficient over the past 20 years with most products on the market falling comfortably into the A to A\*\*\* rating.

To make way for future improvements in energy saving technology, a new grading system has been implemented which simplifies the grading system as well as making it much harder for products to achieve higher ratings.

The grades now range from A to G and all products are re-classified on this new scale.

Customers can be assured they are still receiving the high quality lighting products from Sensio they did previously. However, the simplified scale now makes it easier to make an informed decision when choosing their lighting as well as allowing room on the scale for products with future advancements in energy saving technology.

Regulation: (EU) 2019/2015

#### Our rated products

The below list of bathroom lighting products carry the required energy labels and and have the following ratings:




Product	Lighting Type	Technology	Page
Cora	Ceiling Lighting	Single Colour	127
Hudson	Ceilina Liahtina	Single Colour	127




Product	Lighting Type	Technology	Page
Bellatrix	Pendant Lighting	Single Colour	136
Polar IP65	Flexible LED Strip	Single Colour	112
Radiant IP65	Flexible LED Strip	Single Colour	110
TrioTone® IP65 Circa	Ceiling Spotlight	TrioTone®	124
TrioTone® IP65 Cube	Ceiling Spotlight	TrioTone®	124
TrioTone® IP65 FR Downlight	Ceiling Spotlight	TrioTone®	122
Zirconia	Pendant Lighting	Single Colour	140

#### Previous energy labels



#### New energy labels



- Seven step rating now runs from A to G
- · Additional QR code links to further details on the labelling and product specification

#### Lighting



Correlated Colour Temperature (CCT) - see p19



Dimmable

TrioTone®

- colour

temperature

selection-see p18



Natural white lighting

Cool white

liahting



Warm white lighting

#### Connect & Control



Infra-red sensor - swipe activated



Touch activated



Rocker switch to control additional features

PIR sensor

- motion

activated



Simple pull cord activation

#### Lifestyle



Styling

Integrated speakers for audio playback

Bluetooth

enabled

Can be

controlled

via the 'Link

Sensio' App

Integrated

Qi charger

Stainless

steel finish

Matt black finish

Chrome finish

for wireless

capable devices

connectivity



Charging socket for shavers and toothbrushes



Sync with your smart home devices



Integrated demister pad to clear the mirror

Brushed

steel finish

Aluminium

White finish

finish




## Installation



Mounts to a back box secured to the wall





Can be installed in portrait or landscape orientation

Resists partial

dust ingress and

water splashes



Resists ingress of objects over 1mm and water splashes



Dust and air tight. Resists low pressure water jets



Dust and air tight. Water immersion up to 30 mins with no harmful ingress



Fire rated for additional







Rechargeable battery power



Supplied cable length



Product can be retrofitted - no wiring required



Values other than 240V indicated power supply from the product



Bathroom zone suitability, determined by IP rating

Battery operated

24 PRODUCT FEATURES GUIDE



# LED ILLUMINATED MIRRORS

- Personalised lighting choices to match the bathroom style or preference
- Simple touch and sensor options to activate and control features
- Variety of styles, shapes, sizes and finishes to perfectly match any bathroom



# LED ILLUMINATED MIRRORS

## FEATURES

An essential element to any bathroom design, our extensive range of LED illuminated mirrors offer a wealth of integrated features.

All Sensio mirrors are IP44 rated. They can be installed in Zone 2 of the bathroom, placed with a 60cm proximity to the water outlet of a sink.

























Mirror	LED Control	Cool White	Warm White	TrioTone <sup>®</sup>	ССТ	Dimmable	Demister Pad	Rotatable	Shaver Socket	Bluetooth Audio & Speakers	Qi Charger	Mains 240V	Battery
Ester	Pull Cord	<b>✓</b>	-	_	-	_	_	-	_	-	_	<b>✓</b>	_
Isla Plus	Rocker Switch	<b>✓</b>	-	_	-	_	_	<b>✓</b>	-	-	_	-	<b>✓</b>
Gina	Rocker Switch	<b>✓</b>	_	_	-	_	_	_	_	_	_	-	<b>✓</b>
Aspect	Infra-red Sensor	<b>✓</b>	-	_	-	_	<b>✓</b>	-	-	-	_	<b>✓</b>	-
Uno	Infra-red Sensor	<b>~</b>	-	_	-	_	<b>✓</b>	<b>✓</b>	_	_	_	<b>✓</b>	-
Kai Plus	Infra-red Sensor	<b>✓</b>	-	-	-	-	<b>✓</b>	<b>✓</b>	<b>~</b>	-	-	<b>✓</b>	-
Skye	Infra-red Sensor	<b>✓</b>	-	-	-	-	<b>✓</b>	-	_	-	-	<b>✓</b>	-
Nyla	Infra-red Sensor	<b>✓</b>	-	-	-	-	<b>✓</b>	-	<b>~</b>	-	-	<b>✓</b>	-
Sienna	Infra-red Sensor	<b>✓</b>	-	_	-	_	<b>✓</b>	-	<b>~</b>	_	_	<b>✓</b>	-
Bronte	Infra-red Sensor	<b>✓</b>	-	-	-	-	<b>✓</b>	<b>✓</b>	-	-	-	<b>✓</b>	-
Aria	Infra-red Sensor	<b>✓</b>	-	_	-	-	✓	-	_	-	_	<b>✓</b>	-
Luna	Infra-red Sensor	<b>✓</b>	-	-	-	-	<b>✓</b>	-	-	-	-	<b>✓</b>	-
Shannon	Infra-red Sensor	<b>✓</b>	-	_	-	_	<b>✓</b>	-	<b>✓</b>	_	_	<b>✓</b>	-
Grace	Infra-red Sensor	<b>✓</b>	-	_	-	_	<b>✓</b>	<b>✓</b>	<b>*</b>	-	_	<b>✓</b>	-
Eden	Touch Sensor	<b>✓</b>	_	_	-	_	<b>✓</b>	_	_	_	_	<b>✓</b>	_
Serenity	Touch Sensor	<b>✓</b>	<b>✓</b>	_	-	_	<b>✓</b>	-	-	-	_	<b>✓</b>	-
Nova	Touch Sensor	-	-	<b>✓</b>	-	<b>✓</b>	<b>✓</b>	-	_	_	_	<b>✓</b>	-
Dawn	Touch Sensor	-	-	<b>✓</b>	-	<b>✓</b>	<b>✓</b>	-	-	-	-	<b>✓</b>	-
Libra	Touch Sensor	_	_	_	<b>✓</b>	_	<b>✓</b>	<b>✓</b>	_	_	_	<b>✓</b>	_
lvy	Infra-red Sensor	-	-	-	<b>✓</b>	-	<b>✓</b>	-	-	-	-	<b>✓</b>	-
Como	Touch Sensor	_	_	_	<b>✓</b>	_	<b>✓</b>	_	_	_	_	<b>✓</b>	_
Reagan	Touch Sensor	-	-	_	<b>✓</b>	_	<b>✓</b>	-	<b>~</b>	-	_	<b>✓</b>	-
Harbour	Touch Sensor	_	_	_	<b>✓</b>	_	<b>✓</b>	_	_	_	_	<b>✓</b>	_
Mistral	Touch Sensor	-	-	_	<b>✓</b>	-	<b>✓</b>	<b>✓</b>	-	-	_	<b>✓</b>	-
Destiny	3x Touch Sensor	_	-	_	<b>✓</b>	<b>✓</b>	<b>✓</b>	_	_	_	_	<b>✓</b>	_
<b>Glimmer Pro</b>	Infra-red Sensor	-	-	-	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>	-	_	<b>✓</b>	-
Avalon	Infra-red Sensor	<b>✓</b>	_	_	-	_	<b>✓</b>	_	<b>✓</b>	<b>✓</b>	_	<b>✓</b>	_
Element	Touch Sensor	-	-	<b>✓</b>	-	<b>✓</b>	✓	-	-	-	<b>✓</b>	<b>✓</b>	-
Portland Rockford		Non-	-illuminated mirrors										

\*Grace - shaver socket only on model SE30677CO. (See p.56)



LED ILLUMINATED MIRRORS 29



# Ester

## Slimline LED mirror

- Two rows of cool white, feature LEDs
- Compact size ideal for smaller bathrooms
- Slim 35mm profile depth
- Pull cord activation
























**On/Off:** Simply switch on with the pull cord




48 Cool white LEDs



Pull cord

## Dimensions & feature positions



Ester - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE30456C0	500 x 390 x 35mm	5W	240V	Cool (6000K)	425 lm	£113.45



# Isla Plus

## Simple installation

- Fully diffused, cool white LED panels illuminate each side of the mirror
- Perfect for retro-fitting no wiring required
- Battery operated requires 8 x AA batteries (not included)
- Suitable for rechargeable batteries
- Rocker switch activation

# S THE STATE OF THE


















## Easy retrofit installation

The back box is wall mounted, housing the components and battery compartments

Mirror slots onto the back box and is secured in place with screws, provided

Dual diffused LED lighting strips




Discreet rocker switch control



Fixtures and fittings supplied

## Dimensions & feature positions



Isla Plus - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Batteries	LED Colour	Lumens	RRP
SE34395C0	390 x 500 x 30mm	3W	8 x AA	Cool (6000K)	377 lm	£126.19
SE34495C0	500 x 650 x 30mm	4.4W	8 x AA	Cool (6000K)	380 lm	£163.72


**sensio**°




# Gina

# Easy install LED illuminated mirror

- Perfect for retro-fitting no wiring required
- Battery operated requires 3 x AA batteries (not included)
- Cool white, diffused LED vertical strip feature illumination
- Rocker switch activation
- Rotatable installation can be mounted portrait or landscape



## Simple retrofit installation





Fully diffused LED strips




Simple rocker switch



Easy access battery port (Requires 3x AA batteries)

## Dimensions & feature positions



Gina - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Battery	LED Colour	Lumens	RRP
SE30507C0	700 x 500 x 31mm	3.6W	3 x AA (not included)	Cool (6400K)	306 lm	£173.58



# Aspect

# Floating edge, LED illuminated frame mirror

- Floating edge, illuminated frame
- Fully diffused, cool white LEDs
- Integrated demister pad
- Infra-red sensor control
- Matt black finish
- Available in both round and rectangular designs


Aspect Ø 600 - Registered Design Right - 6081451

Aspect 700x500 - Registered Design Right - 6082404






## Hands-free control



**Demister Pad:**Automatically activated when the mirror is lit



Discreet infra-red senso



Aspect rectangle



Dimensions & feature positions

Ø600mm 500mm


Aspect - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Design	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30098C0	Round	Ø 600 x 63mm	32W	240V	Cool (6000K)	2240 lm	1000mm	£175.00
SE30198C0	Rectangle	700 x 500 x 63mm	47W	240V	Cool (6000K)	2967 lm	1000mm	£243.04



## Hands-free control




On/Off: Simply wave your hand under the infra-red sensor located at the bottom of the mirror

**Demister Pad:** Activated automatically with the lights via the infra-red sensor



Infra-red sensor switch



Integrated demister pad

# Uno

## Slimline LED mirror

- Fully diffused, cool white LED panels illuminate each side of the mirror
- Infra-red sensor light control
- Integrated demister pad
- Rotatable installation can be mounted portrait or landscape




















## Dimensions & feature positions





**Uno** - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP	
SE34095C0	500 x 700 x 35mm	33W	240V	Cool (6000K)	2828 lm	£194.14	



# Kai Plus

#### Slimline LED mirror

- Fully diffused, cool white LED panels illuminate each side of the mirror
- Infra-red sensor light control
- Integrated demister pad
- Concealed, integrated shaver socket
- Rotatable installation can be mounted portrait or landscape


















## Hands-free control



On/Off: Simply wave your hand under the infra-red sensor located at the bottom of the mirror




**Shaver Socket:** Recessed into the mirror box. Accepts both 230V and 110V devices



Integrated shaver socket





Infra-red sensor switch



Integrated demister pad

## Dimensions & feature positions





Kai Plus - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE34195C0	500 x 700 x 55mm	35W	240V	Cool (6000K)	3000 lm	£243.17



# Skye

# High light output LED illuminated mirror

- Double row of cool white, feature LEDs
- Integrated demister pad activated by concealed rocker switch
- Infra-red sensor light control


















## Hands-free control



**On/Off:** Simply swipe hand below the infra-red sensor





Cool white illumination




Infra-red sensor activation



Integrated demister pad

## Dimensions & feature positions



**Skye** - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE30536C0	600 x 500 x 35mm	26W	240V	Cool (6000K)	522 lm	£245.79



# Nyla

# Illuminated LED mirror with glass shelf

- Double row of natural white, feature LEDs
- Integrated glass shelf for increased bathroom storage
- Infra-red sensor light control
- Integrated demister pad activated by concealed rocker switch
- Concealed, integrated shaver socket























## Illuminated glass shelf



**On/Off:** A simple swipe below the infra-red sensor



Shaver Socket: Located discreetly on the side with a convenient flip cover



Integrated 220V shaver socket




Rocker switch controls demister



IR sensor activates LED lighting

## Dimensions & feature positions




Nyla - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE30566C0.1	600 x 500 x 50mm	26W	240V	Cool (6000K)	560 lm	£254.71





# Sienna


## Full featured compact, LED illuminated mirror

- Single row of natural white feature LEDs
- Compact size ideal for smaller bathrooms
- Integrated demister pad activated by concealed rocker switch
- Concealed, integrated shaver socket
- Infra-red sensor lighting control





## Hands-free control



#### On/Off

Simply swipe hand below the infra-red sensor

#### **Demister Pad**

Activated via side mounted rocker switch

#### **Shaver Socket**

Concealed on the side with a protective flip cover

Infra-red sensor




Integrated demister pad



Shaver so

## Dimensions & feature positions



Sienna - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE30556C0	500 x 390 x 50mm	7.68W	240V	Cool (6000K)	653 lm	£254.71





# Bronte

## Classic design

- 60 integrated natural white feature LEDs
- Integrated demister pad activated via side mounted rocker switch
- Infra-red sensor light control
- Rotatable installation can be mounted portrait or or landscape























## Hands-free illumination



On/Off: Simply swipe hand below the infra-red sensor

**Demister Pad:** Activated via side mounted rocker switch



Infra-red sensor for LED control




Integrated demister pad



Rocker switch for demister pad

## Dimensions & feature positions



**Bronte** - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE30576C0.1	800 x 600 x 35mm	4.2W	240V	Cool (6000K)	960 lm	£274.90







# Aria

## Round, diffused light illuminated LED mirror

- Diffused, cool white LED illumination
- Integrated demister pad
- Infra-red sensor control for for both lighting and demister pad activation



## Hands-free Control







#### Demister Pad:

Automatically activated with the lighting via the infra-red sensor



Infra-red sensor control




Fully diffused illumination



Integrated demister pad


## Dimensions & feature positions



Aria - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP	
SE30681C0	Ø 500 x 35mm	17W	240V	Cool (6000K)	460 lm	£276.57	



# Luna

# Cool white, acrylic edge LED mirror

- Atmospheric, halo border illumination
- Cool white diffused LEDs
- Integrated demister pad
- Infra-red sensor control for both lighting and demister pad activation

















# sensio°

## Hands-free control



**On/Off:** Simply wave your hand under the infrared sensor located at the bottom of the mirror

**Demister Pad:** Always on with automatic activation via the infra-red sensor



Diffused, cool white halo edge




Infra-red sensor activation



Integrated demister pad


## Dimensions & feature positions



Luna - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30683C0	Ø 600 x 35mm	23W	240V	Cool (6000K)	443 lm	800mm	£288.14



# Shannon


#### Soft edge, diffused LED illuminated mirror

- Diffused, cool white, double LED feature illumination
- Integrated demister pad activates with lights
- Concealed, integrated dual shaver socket
- Infra-red sensor control
- Soft, rounded corners





#### Hands-free control



On/Off: Simply press the sensor



#### Demister Pad:

Automatically activated when the mirror is on keeping it steam free





Discreet infra-red sensor




Integrated demister pad



Integrated 220V shaver socket

## Dimensions & feature positions




**Shannon** - Illuminated LED Mirror


RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE30679C0	700 x 500 x 50mm	41W	240V	Cool (6000K)	1232 lm	£312.45





## Hands-free control



**On/Off:** A simple swipe of the hand powers up the mirror. Swipe again to power down

#### Demister Pad:

Automatically activated when the mirror is on



220V Shaver socket (SE30677C0 only)




Infra-red sensor control




Integrated demister pad

# Dimensions & feature positions





**Grace** - Illuminated LED Mirror



RRP prices shown are inclusive of VAT

Code	Design	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE30677C0	Soft Edge + Shaver Socket	700x 500 x 50mm	42W	240V	Cool (6000K)	1056 lm	£321.36
SE30678C0	Soft Edge	800 x 600 x 35mm	45W	240V	Cool (6400K)	3400 lm	£381.88

# Grace

# Feature border LED illuminated mirror

- Diffused, cool white LED border illumination
- Integrated demister pad
- Infra-red sensor control
- Rotatable design can be mounted in portrait or landscape orientation
- Available in two sizes







# Eden

# Add depth with this sleek backlit mirror

- Diffused backlit, ambient lighting
- Cool white LEDs
- Integrated demister pad
- Single touch sensor control for both lighting and demister pad activation
- 900mm width perfect for larger bathrooms




















# sensio°

## Simple touch sensor control





Illuminated touch sensor




Cool white backlit illumination



Integrated demister pad

## Dimensions & feature positions



**Eden** - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimenisons	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30756C0	900 x 600 x 44mm	25.4W	240V	Cool (6400K)	887 lm	1000mm	£330.97



# Serenity Duo

## Backlit dual LED mirror with adjustable light temperature

- Backlit, ambient lighting creates floating effect
- Duo colour temperature selection
- select cool or warm white
- LED memory function remembers the last colour temperature selection
- Integrated demister pad
- Touch sensor control












## Simple touch sensor control





Cool white LED setting




Warm white LED setting



Back lit halo

#### **Dimensions & Feature Positions**



<sup>\*</sup>Serenity - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30716DM0	700 x 500 x 32mm	8.3W	240V	Cool (6400K) / Warm (4100K)	673 lm	1000mm	£300.62


\*Demister pad on SE30716DM0 only.




# Nova

#### Decorative wall hanging LED mirror


- Black decorative leather effect strap
- Additional wall fixings behind the mirror to support and secure
- Fully diffused border illumination
- TrioTone® LEDs offer a choice of colour temperature - select warm, natural or cool white (find out more on p.18)
- Integrated demister pad
- Touch sensor control
- Matt black finish
- Available in two sizes



## Simple touch sensor control



On/Off: Simple tap to activate



Dimming: Touch and hold to dim or again to brighten






Integrated demister pad



Touch sensor

## Dimensions & feature positions



Nova - Illuminated LED Mirror

RRP prices	shown	are incl	usive of	·VAT
------------	-------	----------	----------	------

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30598T0	Ø 600 x 38mm	37.3W	240V	*TrioTone®	1530 lm	1050mm	£351.82
SE30698T0	Ø 800 x 38mm	64.9W	240V	*TrioTone®	2115 lm	1050mm	£405.74

\*TrioTone® - switchable between cool white (6000K), natural white (4000K) and warm white (3000K). Read more on p.18.






# Dawn

## TrioTone® illuminated LED mirror with integrated shelf


- Dimmable, fully diffused, LED illuminated mirror
- TrioTone® LEDs offer a choice of colour temperature select warm, natural or cool white (find out more on p.18)
- Integrated demister pad
- Single touch sensor control for both lighting and demister pad activation
- Decorative integrated shelf
- Matt black finish



## Simple touch sensor control



On/Off: Simple tap



**Dimming:** Touch and hold to dim or again to brighten




Decorative integrated shelf



Touch sensor control



## Dimensions & feature positions




**Dawn** - TrioTone® Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30398T0	Ø 600 x 110mm	16W	240V	*TrioTone®	1440lm	1050mm	£401.59

\*TrioTone® - switchable between cool white (6000K), natural white (4500K) and warm white (3000K). Read more on p.18.



# Libra

#### Ultra-slim profile with seamless edge illumination

- Ultra-slim depth of just 10mm, vastly minimising intrusion into the bathroom
- Concealed installation of the driver and leads in the cavity wall or ceiling space allows for flush fit to the wall
- Seamless acrylic design
- Fully diffused, colour temperature changing LEDs (CCT) allows the perfect light temperature selection and transition between warm white and cool white temperatures (find out more on p.19)
- Front and side illumination
- Integrated demister pad
- Dual function touch sensor control
- Rotatable installation can be mounted portrait or or landscape
- Multiple size options



Registered Design Right - 6077041






















#### Discreet installation





On/Off: Simply tap the touch sensor





Colour Temperature: Hold hand under sensor to cycle colour




Ultra-slim 10mm depth

#### Dimensions & feature positions








**Dual function touch sensor** 

Libra - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30795P0	500 x 390 x 10mm	30W	240V	*CCT	867 lm	2500mm	£246.72
SE30895P0	700 x 500 x 10mm	40W	240V	*CCT	1468 lm	2500mm	£327.61
SE30995P0	800 x 600 x 10mm	48W	240V	*CCT	1735 lm	2500mm	£354.85

<sup>\*</sup>CCT variable colour temperature on a continuous scale from cool white (6000K) to warm white (3000K). Read more on p.19)



# lvy

#### Double-sided illuminated hanging mirror

- Innovative, double sided, illuminated hanging mirror
- Hangs from the ceiling, avoiding damage to the bathroom wall
- Dual sided, diffused, colour temperature changing LEDs (CCT) allows the perfect light temperature selection and transition between warm white and cool white temperatures (find out more on p.19)
- Infra-red sensor control
- Height adjustable mounting poles for perfect positioning
- Designed to suit a standard 2.4m ceiling
- Integrated, dual demister pads
- Matt black finish






















#### Hands-free control




On/Off: A simple swipe of the hand




**Demister Pad:** Automatically activated on both sides



Adaptable mounting positions




Adjustable height



Dual demister pads

## Dimensions & feature positions





Ivy - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30298P0	Ø 600 x 34mm	30W	240V	*CCT	1728 lm	1000mm	£259.12

\*CCT - variable colour temperature on a continuous scale from cool white (6000K) to warm white (3000K). Read more on p.19)




# Como

#### Spa-like luxury

- Back lit illumination creates floating effect
- Diffused, outer rim illumination
- Colour temperature changing LEDs (CCT) allows the perfect light temperature selection and transition between warm white and cool white temperatures (find out more on p.19)
- Touch sensor control
- Integrated demister pad controlled via side mounted rocker switch
- Slim profile at just 35mm depth



## Simple touch sensor control





On/Off: Simply tap the touch sensor to activate the mirror



Colour Temperature: Press and hold the button to cycle between cool and warm lighting



Fully diffused illumination





Illuminated touch sensor



Rocker switch for demister pad

#### Dimensions & feature positions






Como - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE30682C0	Ø 600 x 35mm	23W	240V	*CCT	1360 lm	£280.04
SE30095P0	Ø 800 x 35mm	30W	240V	*CCT	1550 lm	£320.97

<sup>\*</sup>CCT variable colour temperature on a continuous scale from cool white (6000K) to warm white (3000K). Read more on p.19.



# Reagan

### **Custom colour** temperature, backlit **LED** mirror

- Backlit, ambient lighting creates floating effect
- Diffused, colour temperature changing LEDs (CCT) allows the perfect light temperature selection and transition between warm white and cool white temperatures (find out more on p.19)
- Integrated demister pad activated with the lights
- Integrated, concealed dual shaver socket
- Touch sensor control for both light activation and colour temperature selection
























On/Off: Simply press the sensor









**Shaver Socket:** Open the protective case to access the shaver socket ports




Integrated 220V shaver socket



Illuminated touch sensor control

### Dimensions & feature positions




Reagan - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP
SE30672C0	800 x 600 x 50mm	39W	240V	*CCT	960 lm	£329.80

\*CCT variable colour temperature on a continuous scale from cool white (6000K) to warm white (3000K). Read more on p.19)



# Harbour

### Backlit LED mirror with integrated shelf

- Backlit mirror with integrated shelf
- Fully diffused, colour temperature changing LEDs (CCT) allows the perfect light temperature selection and transition between warm white and cool white temperatures (find out more on p.19)
- Touch sensor control
- Integrated demister pad
- Matt black finish






















### Registered Design Right - 6121978

# Simple touch sensor control



On/Off: Activate the Harbour with a gentle tap of the touch sensor

**Colour Temperature:** Hold the touch sensor to fade through cool to warm illumination

# Demister Pad:

Automatically activated when the mirror is lit




\*CCT LED back lighting



Integrated shelf

# Dimensions & feature positions



Harbour - Illuminated LED Mirror

RRP prices shown	are inclusive of VAT
------------------	----------------------

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30098P0	790 x 500 x 125mm	31W	240V	*CCT	3276 lm	1000mm	£363.99

\*CCT variable colour temperature on a continuous scale from cool white (6000K) to warm white (3000K). Read more on p.19)



# Mistral

# Teardrop, backlit LED mirror

- Unique teardrop-shape, illuminated mirror
- Back-lit illumination creates floating effect
- Diffused, colour temperature changing LEDs (CCT) allows the perfect light temperature selection and transition between warm white and cool white temperatures (find out more on p.19)
- Integrated demister pad
- Touch sensor control
- Rotatable installation can be mounted portrait or landscape





















# sensio°

# Simple touch sensor control




**On/Off:** Simply press the button



Demister Pad:

Automatically activated when the mirror is on keeping it steam free

white and warm white



Landscape orientation




Portrait orientation



Illuminated touch sensor

# Dimensions & feature positions



Mistral - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30717C0	800x550x31mm	23.7W	240V	*CCT	596 lm	1000mm	£368.21

\*CCT variable colour temperature on a continuous scale from cool white (6000K) to warm white (3000K). Read more on p.19)

ILLUMINATED LED MIRRORS 77



# Destiny

# Hollywood glamour

- Fully diffused, LED illuminated mirror
- Colour temperature changing LEDs (CCT) allows the perfect light temperature selection and transition between warm white and cool white temperatures (find out more on p.19)
- Dimmable functionality
- Integrated demister pad, automatically active with the lights
- 3 touch sensors for lighting control
- Feature silver edging



### Trio of touch sensor features



On/Off: Light up the mirror with a single tap

or again to brighten the illumination




Cool end of spectrum (6000K)



Natural spectrum (4500K)

# Cycle CCT: Hold the central touch sensor to cycle cool to warm light Brightness: Hold to dim

# Dimensions & feature positions





Warm end of spectrum (3000K)

### **Destiny** - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30671C0	700 x 500 x 35mm	29.9W	240V	*CCT	627 lm	1000mm	£457.10

\*CCT variable colour temperature on a continuous scale from cool white (6000K) to warm white (3000K). Read more on p.19.



# Glimmer Pro

### Fully featured, seamless edge LED mirror

- An upgraded specification to our existing Glimmer now featuring both a shaver socket and CCT colour changing LEDs
- Dimmable, illuminated border
- Fully diffused, colour temperature changing LEDs (CCT) allows the perfect light temperature selection and transition between warm white and cool white temperatures (find out more on p.19)
- Integrated demister pad and shaver socket
- Infra-red sensor control
- Rotatable installation
- can be mounted portrait or landscape
- Available in 3 sizes






















### Hands-free infra-red sensor control



On/Off: Activate the Glimmer Pro by a simple swipe of the hand past the infra-red sensor

**Colour Temperature:** Hold your hand near the sensor to cycle the temperature range


# Demister Pad:

Automatically activated when the mirror is lit





Integrated shaver socket




Diffused, illuminated border





Infra-red sensor control

# Dimensions & feature positions



(When hung in portrait orientation, the controls move to the bottom left hand side of the mirror)

**Glimmer Pro** - Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30726P0	700 x 500 x 50mm	22W	240V	*CCT	1935 lm	1050mm	£344.99
SE30736P0	800 x 600 x 50mm	25W	240V	*CCT	2295 lm	1050mm	£424.58
SE30746P0	1200 x 600 x 50mm	30W	240V	*CCT	3015 lm	1050mm	£532.82

\*CCT variable colour temperature on a continuous scale from cool white (6000K) to warm white (3000K). Read more on p.19)



# Avalon

# Bluetooth enabled and dual integrated speakers

- Soft backlit, cool white ambient lighting perfect for shadow reduction
- Bluetooth enabled to connect with compatible Bluetooth devices
- Stream music, audio books or the radio through integrated Bluetooth speakers
- Integrated demister pad
- Concealed, integrated shaver socket
- Infra-red sensor control
























# Stream audio from your smart device

**On/Off:** Power up the Avalon with a single hand swipe past the infra-red sensor.

Audio: Simply search for new bluetooth devices on your smart phone and select "Mirror-Audio" to pair.

Audio playback is provided by speakers on both sides on the unit.





Integrated Bluetooth speakers




Integrated shaver socket



Infra-red sensor control

### Dimensions & feature positions



Avalon - Illuminated Bluetooth LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30673C0	700 x 500 x 70mm	21.2W	240V	Cool (6000K)	3960lm	1050mm	£457.10



ILLUMINATED LED MIRRORS



# Element

### TrioTone® LED mirror with wireless Qi charging shelf

- Integrated Qi charging point built in to the shelf
- TrioTone® LEDs offer a choice of colour temperature - select warm, natural or cool white (find out more on p.18)
- Dimmable, fully diffused, border lit illumination
- Integrated demister pad
- Touch sensor control
- Matt black finish


























# Simple touch sensor control



On/Off: Simple tap



wireless enabled devices on the Qi pad to charge


61mm








Wireless Qi charging pad



Dimensions & feature positions



**Element** - TrioTone® Illuminated LED Mirror

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30498T0	800 x 600 x 121mm	22W	240V	*TrioTone®	1200 lm	1050mm	£539.25

\*TrioTone® - switchable between cool white (6000K), natural white (4000K) and warm white (3000K). Read more on p.18.

ILLUMINATED LED MIRRORS 85



# Portland

### Bevelled edge mirror

- Simple, classic style
- Beveled feature edge
- Non-illuminated no electrician required
- Perfectly complemented by bathroom wall or pendant lighting
- Rotatable installation can be mounted portrait or landscape

Portland - Bevelled edge mirror

Code	Dimensions	RRP
SE30004TP0	600 x 500 x 16mm	£75.20

RRP prices shown are inclusive of VAT













# Rockford

# Bevelled dual tier mirror

- Stylish, dual layered mirror
- Beveled feature edge
- Non-illuminated no electrician required
- Perfectly complemented by bathroom wall or pendant lighting
- Rotatable installation can be mounted portrait or landscape

**Rockford** - Layered mirror

Code	Dimensions	RRP	
SE30104TP0	600 x 400 x 16mm	£79.85	


RRP prices shown are inclusive of VAT













YEAR

# LED ILLUMINATED MIRROR CABINETS

# **FEATURES**

















Mirror	Design	LED Control	Cool White	TrioTone®	Dimmable	Demister Pad	Shaver Socket	USB Port	Bluetooth Audio & Speakers	Mains 240V
Finlay Plus	Single Door	Pull cord	<b>✓</b>	-	-	_			-	<b>✓</b>
Harlow	Single Door Double Door	Infra-red Sensor	<b>✓</b>	-	-	<b>✓</b>	<b>✓</b>	-	-	<b>✓</b>
Sonnet	Single Door Double Door	Infra-red Sensor	<b>✓</b>	-	-	<b>✓</b>	<b>✓</b>	-	-	<b>✓</b>
Belle	Single Door	Infra-red Sensor	<b>✓</b>	-	-	<b>✓</b>	<b>~</b>	-	-	<b>✓</b>
Eclipse	Recessed Single Door	Touch Sensor	-	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>~</b>	-	<b>✓</b>
Aspen	Double Door	Infra-red Sensor	<b>✓</b>	-	-	-	<b>✓</b>	-	-	<b>✓</b>
Ainsley	Single Door Double Door Triple Door	Infra-red Sensor	~	-	-	~	<b>~</b>	-	<b>~</b>	~









Simple pull-cord activation

# Finlay Plus

# LED illuminated cabinet

- Diffused cool white, feature LEDs
- Simple pull cord activation
- 2 adjustable glass shelves


















# Dimensions & feature positions

2x adjustable shelves for internal storage



**Eclipse** - Illuminated LED Cabinet

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	RRP	
SE34295C0	650 x 600 x105mm	4.2W	240V	6000K	471 lm	£357.31	







### Internal & external lit LED illuminated cabinet

- Cool white, diffused LED illuminated feature border
- Mirrored and illuminated, internal and external doors
- Practical under cabinet task lighting to illuminate the vanity area
- Mirrored sides
- Integrated demister pad
- Concealed, internal shaver socket
- Infra-red sensor control for both light and demister pad activation
- 2 adjustable glass shelves
- Available as both a single door or double door cabinet






















Concealed shaver socket



Infra-red sensor and task lighting


# Dimensions & feature positions



### Harlow - Illuminated LED Cabinet

RRP prices shown are inclusive of VAT

Code	Design	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE31194C0	Single Door	700 x 500 x 140mm	37.7W	240V	Cool (6000K)	4230 lm	1050mm	£577.45
SE31394C0	Double Door	700 x 600 x 140mm	53.6W	240V	Cool (6000K)	4410 lm	1050mm	£693.17





# Dual lit LED illuminated cabinet

- Cool white, diffused LED illuminated feature border
- Illuminated, internal and external doors
- Mirrored sides and interior doors
- Integrated demister pad
- Concealed, internal shaver socket
- Infra-red sensor control for both light and demister pad activation
- 2 adjustable glass shelves
- Available as both a single door or double door cabinet


























Integrated demister pad



Infra-red sensor


# Dimensions & feature positions



**Sonnet** - Illuminated LED Cabinet

RRP prices shown are inclusive of VAT

Code	Design	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30194C0	Single Door	700 x 500 x 140mm	36.2W	240V	Cool (6000K)	3960 lm	1050mm	£635.31
SE30394C0	Double Door	700 x 600 x 140mm	54.5W	240V	Cool (6000K)	4590 lm	1050mm	£786.90





# Dual lit LED illuminated cabinet

- Cool white, diffused LED illuminated border
- Illuminated, internal and external doors
- Mirrored sides and interior doors
- Integrated demister pad
- Concealed, internal shaver socket
- Infra-red sensor control for both light and demister pad activation
- Adjustable glass shelves























Internal mirrored finish and illumination on doors

Internal door lighting




Infra-red sensor



Internal shaver socket

# Dimensions & feature positions



**Belle** - Illuminated LED Cabinet

RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30796C0	700 x 500 x 140mm	17.5W	240V	Cool (6400K)	660 lm	1000mm	£646.48






# Eclipse

### Recessed, concealed LED illuminated cabinet


- Cabinet storage recessed in to the wall space leaving mirror to sit flush to the wall
- Double sided and illuminated mirrored doors
- Fully diffused, TrioTone® LEDs offer a choice of colour temperature - select warm, natural or cool white (find out more on p.18)
- Dimmable lighting
- Internal USB charging and shaver socket with rocker switch
- Integrated demister pad activated with lights
- Touch sensor control for both light activation, dimming and colour temperature selection
- 2 adjustable glass shelves
- Matt black finish




# 'TAP!'



### Simple touch sensor control








Illuminated touch sensor

# On/Off: Simple tap to activate TrioTone®: Double tap to select light temperature Dimming: Touch and hold to dim or again to brighten

### Dimensions & feature positions







Illuminated border flush to wall



RRP prices shown are inclusive of VAT

### **Eclipse** - Illuminated LED Cabinet

Code	Design	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30298T0	Single Door	700 x 500 x 116mm	21W	240V	TrioTone®	1890 lm	1050mm	£672.28

\*TrioTone® - switchable between cool white (6000K), natural white (4500K) and warm white (3000K). Read more on p.18.





# Double door, side lit LED illuminated cabinet

- Ambient side illuminated cabinet
- Cool white, diffused LED lighting
- Mirrored internal and external doors
- Concealed, internal shaver socket
- Infra-red sensor control
- Adjustable glass shelves
- Soft close doors





















Internal mirrored finish on doors

Diffused cool white LEDs




Infra-red sensor



Internal shaver socket

# Dimensions & feature positions



**Aspen** - Illuminated LED Cabinet


RRP prices shown are inclusive of VAT

Code	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30816C0	658 x 704 x 145mm	15.6W	240V	Cool (6400K)	668 lm	1000mm	£833.12









Ainsley - Single Door

Mains

connection cable out

140mm

Task lighting



Integrated bluetooth audio



Discreet shaver socket



Practical under cabinet lighting

# Ainsley

### Integrated Bluetooth & audio, LED illuminated cabinet

- Ambient side illuminated cabinet
- Cool white, diffused LED lighting
- Practical under cabinet task lighting to illuminate the vanity area
- Bluetooth enabled to connect with mobile and smart home devices
- Integrated Bluetooth speakers stream music, audio books or radio
- Mirrored sides and mirrored internal doors
- Integrated demister pad
- Concealed, internal shaver socket
- Adjustable glass shelves
- Available in three sizes

























### Ainsley - Illuminated LED Cabinet

RRP prices shown are inclusive of VAT

Code	Design	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30594C0	Single Door	700 x 564 x 140mm	23.1W	240V	Cool (6000K)	4320 lm	1050mm	£751.03

IR sensor

Audio speakers

Shaver

socket

(internal)

564mm

535mm


490mm

Turn the page for more....

104

# Ainsley - Double Door






Ainsley - Double Door - Illuminated LED Cabinet

RRP prices shown are inclusive of VAT

Code	Design	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30794C0	Double Door	700 x 664 x 140mm	25W	240V	Cool (6400K)	4680 lm	1050mm	£808.89

# Ainsley - Triple Door





**Ainsley** - Triple door - Illuminated LED Cabinet

RRP prices shown are inclusive of VAT

Code	Design	Dimensions	Watts	Voltage	LED Colour	Lumens	Cable Length	RRP
SE30994C0	Triple Door	700 x 1200 x 140mm	28.8W	240V	Cool (6400K)	5400 lm	1450mm	£924.61



106





# LED FEATURE LIGHTING

- Perfect for creating ambient mood lighting
- Highlight cupboards, alcoves and recesses in the bathroom for both practical and atmospheric lighting





# Radiant IP65

# Diffused LED flexible strip

- An entirely diffused, bendable, silicone flexible strip light
- No visible LED dots
- Discreet, slimline 4mm width
- Driver connection cables pre-soldered at either end of the strip so two lengths can be used from the same reel if required
- Cut marks are indicated every 50mm on the back of the strip
- Ideal for a flush, recessed finish with a simple push-fit application
- Can be surface mounted with the use of the mounting brackets (10 supplied with 5000mm reels)
- Supplied end caps provide a clean and IP rated finish to cut ends
- Able to navigate around cabinetry
- Compatible with Sensio dimmable receivers















### Flexible fit




The Radiant is flexible to a radius of 65mm or greater - Ideal for circulating a rounded bathroom unit.

### **Recessed installation**

### Surface mounted




Slot the Radiant into a pre-routed channel for a seamless lighting effect.



Use the Radiant mounting brackets to secure along a surface.

### **Dimensions**





ends and requires a driver with the matching connection.

(See Titan IP44 driver below).

Radiant IP65 - Diffused LED Flexible Strip - 120 LED/m

RRP prices shown are inclusive of VAT

Code	Colour	Watts	Voltage	Length	Lumens	Driver	RRP
SE30555C0	Cool (5500K)	4.8W/m	24V	5000mm	305 lm/m	IP44 Required	£99.63
SE30555W0	Warm (3000K)	4.8W/m	24V	5000mm	305 lm/m	IP44 Required	£99.63

### Titan IP44 Driver










Titan - IP44 Driver

RRP prices shown are inclusive of VAT

Code	Description	RRP	
SE499950	30W / 24V Titan IP44 Driver	£36.27	





• Supplied with single IP44 connector, ready to plug and play





# Polar IP65

### COB LED flexible strip

- Provides a completely uniform light line with no visible LED dots eliminating the need for a profile or cover
- Chip on Board (COB) technology for superior light output
- Excellent thermal conduction resulting in a cool running strip
- Superb light output with high lumen per watts
- 24V allows long runs of light without any light fade
- Supplied with pre-soldered, 1.5m driver connection cables at either end
- Can be cut to length (every 31mm)
- Supplied in a 5m reel
- VHB (Very High Bond) adhesive tape backing for secure installation
- Compatible with the Universal Profile range
















### Cut & Re-use







IP65 transparent housing


The Polar is supplied with two end caps so that both ends can be used after cutting. Simply seal the caps on with silicone to retain the IP65 rating.

Simply wire the driver into the mains then plug in the Polar strip.

Plug & Play

The Polar IP65 flexible strip is supplied with pre-soldered ends and requires a driver with the matching connection. (See Titan IP44 driver below).

### **Dimensions**







Push-fit IP44 connectors

**Polar IP65** - LED Flexible Strip - 512 LED/m

RRP prices shown are inclusive of VAT

Code	Colour	Watts	Voltage	Length	Driver	Lumens	RRP
SE30055C0	Cool (6000K)	6W/m	24V	5000mm	IP44 required	600 lm/m	£115.95
SE30055W0	Warm (3000K)	6W/m	24V	5000mm	IP44 required	600 lm/m	£115.95

### Titan IP44 Driver











Code	Description	RRP
SF499950	30W / 24V Titan IP44 Driver	f36.27



• Easy to use and install

• Supplied with single IP44 connector, ready to plug and play



# Fino

# Surface mounted profile

- Pair with the Polar IP65 flexible strip to provide discreet illumination inside cabinets and in vanity units
- Simple surface mounted application
- Mounting brackets and end caps supplied with each profile (2 brackets with the 1000mm and 4 with the 2000mm)
- Additional mounting brackets and end caps sold separately
- Available in both aluminum and black finishes



# Application



1: The felxible LED strip is applied into the base of the Fino




SE982050 – Aluminium end caps



2: The diffused cover and end caps of the Fino profile simply slot into place



3: The mounting brackets are secured to the surface where the profile is to be installed and then the Fino simply pushes into place







### **Dimensions**

SE981050 – Mounting brackets



**Fino** - Surface Mounted Profile

RRP prices shown are inclusive of VAT

Code	Description	Finish	Length	RRP
SE981120	Profile, Mounting Brackets & End Caps (L&R)	Aluminium	1000mm	£9.65
SE981220	Profile, Mounting Brackets & End Caps (L&R)	Aluminium	2000mm	£19.98
SE981180	Profile, Mounting Brackets & End Caps (L&R)	Black	1000mm	£14.36
SE981280	Profile, Mounting Brackets & End Caps (L&R)	Black	2000mm	£29.42
SE982050	Fino End Cap Set	Aluminium	_	£1.03
SE982080	Fino End Cap Set	Black	_	£1.05
SE981050	Fino Mounting Bracket Set	_	_	£1.13




# Beam

### Angled profile

- Angled profile ideal for illuminating cupboards, providing an even spread of diffused light
- Pair with the Polar IP65 flexible strip to provide discreet illumination
- Light grey finished end caps
- Supplied with one cut out end cap to feed cables through and one with no cut-out for a neat finish
- Opal PC cover
- Mounting brackets and end caps supplied with each profile
- Additional mounting brackets and end caps sold separately



# Application






SE983050.1 – end cap set



SE984050 - mounting brackets

### Dimensions



### Beam - Angled Profile

RRP prices shown are inclusive of VAT

Code	Description	Finish	Length	RRP
SE982120	Profile, Mounting Bracket & End Caps (L&R)	Aluminium	1000mm	£9.78
SE982220	Profile, Mounting Bracket & End Caps (L&R)	Aluminium	2200mm	£20.25
SE983050.1	Beam End Cap Set	Aluminium	_	£1.17
SE984050.1	Beam Mounting Bracket Set	Aluminium	-	£1.17



# Application



**Step 1:** Cut the strip to length, then secure it to the base of the profile



SE980920 – Silver end cap set



**Step 2:** Slide in the diffused cover and attach the end caps




**Step 3:** Lay the Linia into a pre-routed channel, sitting flush to the surface




# Linia


# Recessed profile

- Perfect for use inside cabinets or cupboards, providing a flush fit for a minimalist finish
- Pair with the Polar IP65 flexible strip to provide discreet illumination
- End caps protrude to fill the gap in furniture when cut with a router for neat finish
- Small wings cover any imperfections in the routered edge
- End caps supplied with each profile (2 with the 1000mm, 4 with the 2200mm)
- Can be cut to size
- Additional end caps sold seperately
- Available in both aluminium and black finishes



### **Dimensions**





**Linia** - Recessed Profile

RRP prices shown are inclusive of VAT

Code	Description	Finish	Length	RRP
SE980120	Profile & End Caps (L&R)	Aluminium	1000mm	£9.38
SE980220	Profile & End Caps (L&R)	Aluminium	2200mm	£20.18
SE980180	Profile & End Caps (L&R)	Black	1000mm	£14.06
SE980280	Profile & End Caps (L&R)	Black	2200mm	£30.70
SE980920	Linia Silver End Cap Set	Silver	_	£1.03
SE980980	Linia Black End Cap Set	Black	-	£1.05





# LED CEILING & SHOWER LIGHTING

- Practical ceiling lighting to illuminate the bathroom
- Sleek spotlights or stylish feature lights





# TrioTone® IP65 Fire Rated Downlight

- A range of features and finishes in one fitting for the perfect ceiling spotlight
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Super slim interchangeable bezels easily clip on and off the fitting
- 3 bezels included white, chrome & brushed steel
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Brighter than a 50W GU10 Halogen
- IP65 rated making it suitable for use in both zone 1 and zone 2 in the bathroom






















# Simple push fit installation










Brushed steel bezel




pre-routed ceiling hole. The arms will then flip down to keep the light in place.



Chrome bezel

### **Dimensions**





TrioTone® IP65 - Fire Rated Downlight

RRP prices shown are inclusive of VAT

Code	Watts	Voltage	LED Colour	Lumens	IP Rating	RRP
SE62095T0	8W	240V	TrioTone®	650-700 lm	IP65	£37.75



# TrioTone® Cube & Circa IP65 Fire Rated Downlight

- A stylish, glass bezel ceiling spotlight available in two shapes and two finishes
- Bezel available in both tinted black or clear glass
- Choose from either square with rounded corners (Cube) or round (Circa) fitting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting
- Incorporates integrated driver
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Brighter than a 50W GU10 Halogen
- IP65 rated making it suitable for use in both one 1 and zone 2 in the bathroom




124

Cube - Registered Design Right - 6056146 Circa - Registered Design Right - 6056147

### Simple push fit installation






SE62094T0 - Circa clear glass


SE62194T0 - Cube clear glass


SE62294T0 - Circa tinted glass

Self supported: Just pop up the spring loaded arms and push the unit into a pre-routed ceiling hole. The arms will then flip down to keep the liht in place.

### **Dimensions**









SE62394T0 - Cube tinted glass



RRP prices shown are inclusive of VAT

Code	Style	Watts	Voltage	LED Colour	Lumens	IP Rating	RRP
SE62094T0	Circa clear glass	8W	240V	TrioTone®	650-700 lm	IP65	£47.44
SE62294T0	Circa tinted glass	8W	240V	TrioTone®	650-700 lm	IP65	£47.94
SE62194T0	Cube clear glass	8W	240V	TrioTone®	650-700 lm	IP65	£48.44
SE62394T0	Cube tinted glass	8W	240V	TrioTone®	650-700 lm	IP65	£48.95



Astrid Single
Angled LED ceiling spotlight







- Adjustable, multi-angled spotlight
- Supplied with warm white COB LED lamp
- GU10 LED lamp
- Low energy consumption

**Astrid Single** - SE62391W0

Watts	LED Colour	Lumens	RRP	
5W	Warm (3000K)	480 lm	£64.14	

RRP prices shown are inclusive of VAT



Astrid Cluster

Multi-angle LED spotlight trio





- Chrome finish
- Adjustable, multi-angled spotlights
- Supplied with warm white COB LED lamps
- GU10 LED lamps
- Low energy consumption

Astrid Cluster - SE62491W0

Watts	LED Colour	Lumens	RRP
15W	Warm (3000K)	1440 lm	£189.54



Cora Frosted, domed LED ceiling light





- Chrome finish
- · Chrome ceiling plate with frosted glass diffuser
- Warm white LEDs
- Wide beam angle

**Cora** - SE62191W0

Watts	LED Colour	Lumens	RRP
12W	Warm (3000K)	1050 lm	£143.17

RRP prices shown are inclusive of VAT



Hudson

Diffused, round LED ceiling light





- Chrome finish
- Flat round ceiling light with chrome surround and glass diffuser
- Warm white LEDs
- Wide beam angle

**Hudson** - SE62291W0

Watts	LED Colour	Lumens	RRP
18W	Warm (3000K)	1550 lm	£169.08




126 LED CEILING & SHOWER LIGHTING 127



# LED OVER MIRROR & WALL LIGHTING

- Stylish lighting to accompany non-illuminated bathroom mirrors
- Offers practical task lighting around the vanity unit





# Phoenix

# Dual over mirror light

- Stylish chrome arm and diffused white cylindrical tubes
- Mount the fitting above a non-illuminated mirror or cabinet
- 2 x warm white LED G9 capsule bulbs included (lifespan 30,000 hours)
- 360 degree beam angle casts light from every angle to provide task lighting and illumination to your bathroom

**Phoenix** - Over Mirror Light - SE34091W0

Watts	LED Colour	Lumens	RRP
7W	Warm (3000K)	700 lm	£107.66

RRP prices shown are inclusive of VAT






















# Erin

# Frosted wall light

- Features a chrome base with a frosted white cylindrical tube shade
- Warm white diffused LED lighting provides a relaxing glow
- The G9 LED lamp included has a lifespan of 30,000 hours

**Erin** - Diffused LED Wall Light - SE34191W0

Watts	LED Colour	Lumens	RRP		
3.5W	Warm (3000K)	350 lm	£72.70		
RRP prices shown are inclusive of VAT					


















# Neptune 2

# Over mirror t-bar light

- T-bar light perfect for task lighting
- Fixes to the top of a non-illuminated mirror or cabinet


Neptune 2 - Diffused LED Wall Light - SE33001C0

Watts	LED Colour	Lumens	RRP
5W	Cool (5000K)	325 lm	£33.02

Neptune 2 - Diffused LED Wall Light - SE33001W0

Watts	LED Colour	Lumens	RRP
5W	Warm (3000K)	325 lm	£33.02









# LED PENDANT LIGHTING

- Create statement lighting with stunning pendants
- Drovide practical task lighting over vanity units
- Use single pendants or install in clusters of three for a statement feature






# Bellatrix

# Crushed crystal pendant light

- Add glamour to the bathroom design by suspending from the ceiling in large bathrooms
- Beautiful crushed crystal layer in the bottom of the fitting
- Light bounces off crystals producing sparkling effect
- Polished chrome finish
- Suspended on 1.1m of stainless steel cables cables are adjustable
- 972 integrated LEDs
- Superbly bright illumination
- Suitable for use with a wall dimmer



# Simple height adjustment






Crushed crystal diffuser



Easy height adjustment

### **Dimensions**



**Bellatrix** - LED Pendant Light

RRP prices shown are inclusive of VAT

Code	Watts	Voltage	LED Colour	Lumens	IP Rating	RRP
SE32001W0	33.12W	240V	Warm (3000K)	2000 lm	IP44	£939.88



136 PENDANT LIGHTING 137




# Solinas

# Black pendant light

- A striking crushed crystal, matt black industrial style cylindrical pendant light
- Perfect for both single or cluster implementation
- Offers diffused illumination through its crystalline ring and underside lens
- Available in both cool and warm white with a replacable GU10 LED bulb
- Suitable for use with a wall dimmer
- Suspended on a 1.4m black cable from a matt black ceiling mount



# Dimmable on mains fitting





Cool white



Warm white



Paired with the Ivy mirror

### **Dimensions**



**Solinas** - Black Pendant Light

RRP prices shown are inclusive of VAT

Code	Watts	Voltage	LED Colour	Lumens	IP Rating	RRP
SE82098C0	3.5W	240V	Cool (6500K)	164 lm	IP44	£75.54
SE82098W0	3.5W	240V	Warm (3000K)	132 lm	IP44	£75.54


138 PENDANT LIGHTING 139




# Zirconia

# Crushed crystal cone pendant light

- Inject desirable mood lighting into your bathroom or bedroom with this exquisite droplet pendant
- Can be used in stylish clusters of 2 or 3 fittings
- 920mm stainless steel cable is adjustable
- Stylish chrome finish and clear base laced with floating crystals
- LED light reflects from each crystal giving sparkling effect
- 24 integrated LEDs



# Simple height adjusting



**To adjust:** Push the pin to release or detract the stainless steel cable




Warm white, crystal & chrome



Set at varying heights

### **Dimensions**



**Zirconia** - Crushed Crystal Cone Pendant Light

RRP prices shown are inclusive of VAT

Code	Watts	Voltage	LED Colour	Lumens	IP Rating	RRP
SE32101W0	4.8W	240V	Warm (4000K)	330 lm	IP44	£154.13

140 PENDANT LIGHTING 141





# Magnum

### Rechargeable battery light

- Ideal for wardrobes and cupboards
- Easy retro fit design and no electrical installation required
- Integrated PIR sensor with a 1.5m range of 120° activates the light
- Simple installation via a self adhesive magnetic plate
- the light then attaches to the magnetic plate and removes for charging
- Contains rechargeable lithium-ion battery
- Rapid battery charge time (<2 hours)
- On/off switch to save battery capacity
- If no movement is detected, the unit will switch off after 10 seconds
- 6 months battery power
- based on 2 minutes of usage per day
- 1.5m charger cable included






**Magnum** - Rechargeable battery light

Code	Colour	Watts	LED Colour	Lumens	RRP
SE3391N0	Chrome	0.4W	Cool (3800K)	100 lm	£31.87
SE3300N0	Stainless Steel	0.4	Cool (3800K)	100 lm	£30.69

# Shaver Socket

### Dual voltage charging socket

- Dual voltage shaver and toothbrush socket
- Slim profile
- Chrome finish



Code	Finish	Voltage	RRP
SE3014200	Chrome	115 / 230V	£54.85
RRP prices shown o	are inclusive of VAT		











RRP prices shown are inclusive of VAT

# PRODUCT INDEX

# LED Illuminated Mirrors

PRODUCT	CODE(S)	PAGE
Aria	SE30681C0	50
Aspect Round Aspect Rectangle	SE30098C0 SE30198C0	36
Avalon	SE30673C0	82
Bronte	SE30576C0.1	48
Como (600) Como (800)	SE30682C0 SE30095P0	70
Dawn	SE30398T0	64
Destiny	SE30671C0	78
Eden	SE30756C0	58
Element	SE30498T0	84
Ester	SE30456C0	30
Gina	SE30507C0	34
Glimmer Pro (700x500) Glimmer Pro (800x600) Glimmer Pro (1200x600)	SE30726P0 SE30736P0 SE30746P0	80
Grace (800x600) Grace (+Shaver 700x500)	SE30678C0 SE30677C0	56
Harbour	SE30098P0	74
Isla Plus (390x500) Isla Plus (500x650)	SE34395C0 SE34495C0	32
lvy	SE30298P0	68
Kai Plus	SE34195C0	40
Libra (500x390) Libra (700x500) Libra (800x600)	SE30795P0 SE30895P0 SE30995P0	66
Luna	SE30683C0	52
Mistral	SE30717C0	76
Nova (600) Nova (800)	SE30598T0 SE30698T0	62

PRODUCT	CODE(S)	PAGE
Nyla	SE30566C0.1	44
Portland	SE30004TP0	86
Rockford	SE30104TP0	87
Reagan	SE30672C0	72
Serenity	SE30716D0	60
Shannon	SE306790C0	54
Sienna	SE30556C0	46
Skye	SE30536C0	42
Uno	SE34095C0	38

# **LED Illuminated Mirror Cabinets**

PRODUCT	CODE(S)	PAGE
Ainsley Single Ainsley Double Ainsley Triple	SE30594C0 SE30794C0 SE30994C0	104 -107
Aspen	SE30816C0	102
Belle	SE30796C0	98
Eclipse	SE30298T0	100
Finlay Plus	SE34295C0	92
Harlow Single Harlow Double	SE31194C0 SE31394C0	94
Sonnet Single Sonnet Double	SE30194C0 SE30394C0	96

# LED Feature Lighting

PRODUCT	CODE(S)	PAGE
Beam (1000mm) Beam (2200mm) Beam End Caps Beam Brackets	SE982120 SE982220 SE983050.1 SE984050	116
Fino (AL 1000mm) Fino (AL 2000mm) Fino End Caps (AL) Fino (BL 1000mm) Fino (BL 2000mm) Fino End Caps (BL) Fino Brackets	SE981120 SE981220 SE982050 SE981180 SE981280 SE982080 SE981050	114
Linia (AL 1000mm) Linia (AL 2200mm) Linia End Caps (AL) Linia (BL 1000mm) Linia (BL 2200mm) Linia End Caps (BL)	SE980120 SE980220 SE980180 SE980280 SE980920 SE980980	118
Polar IP65 (cool) Polar IP65 (warm)	SE30055C0 SE30055W0	112
Radiant IP65 (cool) Radiant IP65 (warm)	SE30555C0 SE30555W0	110
Titan IP44 Driver	SE499950	111,113

# LED Ceiling & Shower Lighting

PRODUCT	CODE(S)	PAGE
Astrid Cluster Astrid Single	SE62491W0 SE62391W0	126
Cora	SE62191W0	127
Hudson	SE62291W0	127
TrioTone® Circa (clear) TrioTone® Circa (tint) TrioTone® Cube (clear) TrioTone® Cube (tint)	SE62094T0 SE62294T0 SE62194T0 SE62394T0	124
TrioTone® IP65 Fire Rated Downlight	SE62095T0	122

# LED Over Mirror & Wall Lighting

PRODUCT	CODE(S)	PAGE
Erin	SE34191W0	131
Neptune 2 (cool) Neptune 2 (warm)	SE33001C0 SE33001W0	132
Phoenix	SE34091W0	130

# **LED Pendant Lighting**

PRODUCT	CODE(S)	PAGE
Bellatrix	SE32001W0	136
Solinas (cool) Solinas (warm)	SE82098C0 SE82098W0	138
Zirconia	SE32101W0	140

### Accessories

PRODUCT	CODE(S)	PAGE
Magnum (chrome) Magnum (s. steel)	SE3391N0 SE3300N0	144
Shaver Socket	SE3014200	145

146 PRODUCT INDEX 147

**GET IN TOUCH** 

Do you have a question about our products or services? Answers to some common questions can be found below. If you have a question that is not answered here, please visit our website or call us for further information.

### Do you offer a product guarantee?



We offer a 5-year guarantee across all bathroom products. For full terms and conditions, please visit:

sensio.co.uk/guarantee

### How do I set up a trade account?

If you operate a business and would like further details on how to apply for a trade account, please

email: info@sensiolighting.com or call: 01977 522 020.

On successful completion of an account application, you will be able to purchase directly via the website or via (orders@ sensiolighting.com). Qualification criteria must be met to be accepted for a direct account, details of which are specified under our terms and conditions which can be found on our website or by contacting our Customer Experience Team.

# I'm a consumer buying for my own use - where can I buy Sensio products?

You'll find Sensio products stocked nationally through a large number of both online and high street retailers, and bathroom showrooms.

### Do you offer free of charge delivery?

We offer free delivery, usually within 2 days (Monday to Friday), to UK Mainland destinations for all orders placed before 2pm. A minimum order value of £150.00 (excluding VAT) applies for all bathroom products with the exception of mirrors and cabinets. A charge of £9.95 for carriage and handling will be added to all orders between £150 and £250 (excluding VAT) for deliveries within the UK Mainland only. Channel Islands, Isle of Man, Scottish Highlands and Eire will incur a separate delivery charge, determined by the destination and weight of the total order. Please contact our team for further information.

# Where can I find further technical details and installation information?

Head to the product pages of sensio.co.uk. At the bottom of each product page you will find technical specifications and installation guides. We hope you enjoy this Sensio brochure and are inspired to discover how lighting can transform the home. When you have finished with it, please pass it on or recycle it.

Please note that the colours in this brochure are as accurate as the printing process will allow, and we recommend that you view a product prior to purchase.

All prices are inclusive of 20% VAT and are Sensio's recommended retail prices. Prices and technical information are correct at the time of print (February 2022) and are subject to change throughout the course of the year without prior notification. Errors and omissions excepted.

For more information on our terms and conditions, please visit sensio.co.uk/sensio-terms-and-conditions

### Get the latest in lighting

Keep up to date with product news and information from us at Sensio.



/sensio-ltd



@Sensio Ltd



@sensio\_ltc



/sensiolightir

**148** FAQ **149** 



/sensio-Itd



@sensio\_ltc



@Sensio Ltc



/sensiolighting

Unit 7 Speedwell Road Whitwood Castleford West Yorkshire WF10 5PY United Kingdom

Tel: +44 (0)1977 522 020

Email: info@sensiolighting.com

Web: sensio.co.uk

Sensio Bathroom Lighting 2022\_Digital V1.5







